



Armchair with upholstered seat and backrest and Pure Eco thermopolymer base (100% recycled) available in different colors, with a retractable casters system and an integrated back handle for enhanced functionality.

0.43 m3 15.19 Ft 18 kg 39.68 Lbs

Backrest height

810

Measures
(mm)

Back

Pure Eco thermo-polymer shell. Flexible flame retardant polyurethane foam with density between 55 lb/ft3 and 88 lb/ft3.

Arms

Pure Eco thermo-polymer shell. Flexible flame retardant polyurethane foam with density between 55 lb/ft3 and 88 lb/ft3.

SUSTAINABILITY

ISO 9001
 ISO 14001
 level® 2 certified to ANSI/BIFMA e3 Standard

RESISTANCE AND
QUALITY

UNE-EN 16139:2013
 ISO 9001

FIREPROOF

UNE-EN 1021-1:2006
 B.S. 5852 Part 2 Crib V
 California Tech.Bulletin 117



Chair with upholstered seat and backrest and Pure Eco thermopolymer base (100% recycled) available in different colors, with a retractable casters system and an integrated back handle for enhanced functionality.

0.37 m3 13.07 Ft 18.34 kg 40.43 Lbs

	Backrest height	Seat height	Width	Depth
Measures (mm)	810	460	575	685

RESISTANCE AND QUALITY

UNE-EN 16139:2013
ISO 9001

FIREPROOF

UNE-EN 1021-1:2006
B.S. 5852 Part 2 Crib V
UNI 9175 M-1
California Tech.Bulletin 117

SUSTAINABILITY

ISO 14001
level® 2 certified to ANSI/BIFMA e3 Standard



Armchair with upholstered seat and backrest and BIO thermopolymer base available in different colors, with a retractable casters system and an integrated back handle for enhanced functionality.

0.43 m3 15.19 Ft 18 kg 39.68 Lbs

	Backrest height	Seat height	Arm height	Width	Depth
Measures (mm)	810	460	700	645	685

SUSTAINABILITY

 ISO 9001

 ISO 14001

 level® 2 certified to ANSI/BIFMA e3 Standard

RESISTANCE AND QUALITY

 UNE-EN 16139:2013

FIREPROOF

 UNE-EN 1021-1:2006

 B.S. 5852 Part 2 Crib V

 UNI 9175 M-1

 California Tech.Bulletin 117



Chair with upholstered seat and backrest and BIO thermopolymer base available in different colors, with a retractable casters system and an integrated back handle for enhanced functionality.

0.35 m3 12.36 Ft 13 kg 28.66 Lbs

	Backrest height	Seat height	Width	Depth
Measures (mm)	810	460	575	685

SUSTAINABILITY

 ISO 9001

 ISO 14001

 level® 2 certified to ANSI/BIFMA e3 Standard

RESISTANCE AND QUALITY

 UNE-EN 16139:2013

FIREPROOF

 UNE-EN 1021-1:2006

 B.S. 5852 Part 2 Crib V

 UNI 9175 M-1

 California Tech.Bulletin 117