

Noctambule Floor 3 High Cylinder Cone Big Base


Designed by Konstantin Grcic, 2019

54W - 1459lm - 2700K - CRI> 90



Floor lamp emitting diffused light. Composed of interconnecting transparent blown-glass cylinders, supported by a large die-cast aluminium base for enhanced stability. Cylinders can be topped with a conical or semi-spherical shaped diffuser. Features hydroformed steel internal arms and injection-moulded optical opal silicone outer-ring diffusers. Supplied with pedal dimmer for 10–100% light adjustment. Wall-mounted power supply unit with interchangeable plugs included.

Designed by Konstantin Grcic, Noctambule takes its name from the French word for a ‘night owl’. By day, its transparent glass cylinders almost disappear into their surroundings. At night, LED rings at the intersections bring the lamp to life, creating luminous columns of light that can grow from three modules to towering heights. A masterful balance of restraint and drama, Noctambule is both system and sculpture, revealing its true character only when illuminated. Noctambule has received multiple design accolades.



Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT

Main specifications

EAN	8059607000601
Mounting	Floor
Environments	Indoor dry location
Light source type	LED
Light sources included	Yes
LED type	LED Module
Power (W)	54
Lumen Output (lm)	1459

Physical

Colour	Black
Length (mm)	365
Cord colour	Black
Cord length (mm)	1800
Net weight (kg)	29.6
Package volume (m3)	0.38
IP internal	20

Download


- Mounting instructions PDF
- Mounting instructions PDF
- Mounting instructions PDF

Photometric Files


- LDT / IES ZIP

Technical Drawings

- 3D ZIP
- Bim ZIP



Schematic light drawing



Photometric


Lighting type	Total
Light distribution	Symmetric
CCT (K)	2700
CRI>	90
Extreme cut off	No

Electrical


Insulation class	III
Frequency (Hz)	50/60
Main voltage (Vac)	100-240
Power supply	Remote included
Dimmable	Yes
Power supply type	Electronic 48V
Dimming interface	Dimmer Integrated
Plug type	Type A, Type C, Type G
Batteries inside	No

Ecodesign and Energy Labelling

This product contains a light source of energy efficiency class E



Spare Parts



- | | | |
|-----|---|-----------|
| 01. | Noctambule Cone | F0260000 |
| 04. | Fixing screws kit | RF0254100 |
| 05. | Ring led diffuser | RF27498 |
| 06. | Noctambule High Cylinder | F0257000 |
| 07. | Black plug assembly kit & 48V driver | RF6600130 |
| 08. | Noctambule switch dimmer assembly (with EMC filter) | RF37082 |
| 09. | Noctambule Floor big base | F0262030 |
| 10. | Noctambule F n°5 adjustable feet kit | RF0254200 |



F0260000

Noctambule Cone



RF0254100

Fixing screws kit



RF27498

Ring led diffuser



F0257000

Noctambule High Cylinder



RF6600130

Black plug assembly kit & 48V driver



RF37082

Noctambule switch dimmer assembly (with EMC filter)



F0262030

Noctambule Floor big base



RF0254200

Noctambule F n°5 adjustable feet kit