


Arrangements Round Large

Designed by Michael Anastassiades, 2018

54W - 2751lm - 2700K

Suspension lamp emitting diffused light. Features body in extruded, curved or straight NC-machined and powder-coated aluminium with diffuser in platinum optical silicone. Each element connects to the power pack via a dedicated mechanical and electrical system for customisable configurations. Ceiling roses available in two power options: up to 70 W or up to 190 W. Class III versions also available for remote power supply. Electronics integrated into the rose support multiple dimming systems: push, 1–10 V, potentiometer and DALI. In the absence of these, brightness can be set via the push dim included in the rose.

Designed by Michael Anastassiades in 2018, Arrangements is a modular system of geometric LED elements inspired by the relationship between lighting and jewellery. Each piece balances on the one before, forming sculptural compositions that float in space and can be reconfigured at any time. Not only the individual elements, but entire chandeliers can be connected and expanded. Combining industrial precision with artisanal sensibility, Arrangements is part of the permanent collection at MoMA and other major design museums.



Are you a professional and your project needs consulting and support?

[BOOK AN APPOINTMENT](#)

Main specifications

EAN	8059607014127
Mounting	Suspension
Environments	Indoor dry location
Light source type	LED
Light sources included	Yes
LED type	LED Module
Power (W)	54
Lumen Output (lm)	2751

Physical

Colour	Black
Length (mm)	1020
Cord length (mm)	2500
Net weight (kg)	1.2
Package height (mm)	50
Package width (mm)	1130
Package length (mm)	1130
Package volume (m3)	0.06
IP internal	20

Download

Mounting instructions [↓ PDF](#)

Photometric Files


LDT / IES [↓ LDT](#)

Technical Drawings


2D [↓ ZIP](#)

3D [↓ ZIP](#)

[Bim](#) [↓ ZIP](#)



Schematic light drawing



Photometric

Lighting type	Direct, Indirect
Light distribution	Symmetric
CCT (K)	2700
Extreme cut off	No

Electrical


Insulation class	III
Frequency (Hz)	50/60
Main voltage (Vac)	48
Power supply	Remote
Dimmable	Yes
Power supply type	Electronic 48V
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No

Ecodesign and Energy Labelling

This product contains a light source of energy efficiency class F




Accessories & Power Supply



REQUIRED

F0416030


Arrangements Small Rose



REQUIRED

F0415030

Arrangements Big Rose



REQUIRED

F0418030

Arrangements Recessed Rose