

## String Light - Cone head - 22mt cable - CASAMBI Ready


Designed by Michael Anastassiades, 2014



21W - 1035lm - 2700K

Suspension lamp emitting diffused light. Varnished die-cast aluminium body coated with clear soft-touch varnish and an optical diffuser in opal polycarbonate. The suspension system (12 or 22mt long) includes a Kevlar-reinforced coaxial cable. Available with wall/ceiling connection or floor switch in black polycarbonate. The on/off switch features an electronic, optical and touch-dim mechanism or a Casambi Ready version with touch dimmer included. Must be paired with either the floor switch or ceiling/wall rose (sold separately).

Designed by Michael Anastassiades in 2014, String Light transforms the cable into a defining design element, allowing users to shape the lamp's path around their own environment. It draws quiet, architectural lines through space, inspired by overhead power lines and the festive lights strung across Mediterranean squares. Poetic yet precise, it reflects Anastassiades' pursuit of purity through reduction, offering flexible, atmospheric light for modern living.



Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT

### Main specifications

|                        |                     |
|------------------------|---------------------|
| EAN                    | 8059607042298       |
| Mounting               | Suspension          |
| Environments           | Indoor dry location |
| Light source type      | LED                 |
| Light sources included | Yes                 |
| LED type               | LED array           |
| Power (W)              | 21                  |
| Lumen Output (lm)      | 1035                |

### Physical

|                     |       |
|---------------------|-------|
| Colour              | Black |
| Length (mm)         | 190   |
| Cord colour         | Black |
| Cord length (mm)    | 22000 |
| Net weight (kg)     | 1.15  |
| Package height (mm) | 300   |
| Package width (mm)  | 300   |
| Package length (mm) | 300   |
| Package volume (m3) | 0.03  |
| IP internal         | 20    |

### Download


|                       |     |
|-----------------------|-----|
| Mounting instructions | PDF |
| Mounting instructions | PDF |
| Mounting instructions | PDF |

### Photometric Files


|           |     |
|-----------|-----|
| LDT / IES | LDT |
|-----------|-----|

### Technical Drawings

|     |     |
|-----|-----|
| Bim | ZIP |
|-----|-----|



Schematic light drawing



Photometric

|                    |                |
|--------------------|----------------|
| Light distribution | Roto symmetric |
| CCT (K)            | 2700           |

Electrical

|                     |                                       |
|---------------------|---------------------------------------|
| Insulation class    | III                                   |
| Main voltage (Vac)  | 48                                    |
| Forward voltage (V) | 48                                    |
| Power supply        | Remote excluded                       |
| Dimmable            | Yes                                   |
| Power supply type   | Electronic 48V                        |
| Dimming interface   | Remote Dimmable (Dimmer Not Included) |
| Batteries inside    | No                                    |

Ecodesign and Energy Labelling

This product contains a light source of energy efficiency class D



Accessories & Power Supply



REQUIRED

F6482030

String Light Rose



REQUIRED

F6484030

String Light Black Floor switch EU



REQUIRED

F6484330

String Light Black Floor switch GB




OPTIONAL

F6485030

String Light Kit cable

Spare Parts



- 01. String Light black hooks & cable clamps 5-unit kit RF6480130
- 02. Power supply unit for led RF22934
- 03. String Light Kit with allen key and screws for ceiling rose assembly RF6480200



RF6480130

String Light black hooks & cable  
clamps 5-unit kit



RF22934

Power supply unit for led



RF6480200

String Light Kit with allen key and  
screws for ceiling rose assembly