


ABSOLUTE



ABSØLUTE

# A

“Definisci il tuo stile e la tua personalità”



“You define your style and your personality”





# 8 FORMATI

120x120  
60x120  
20x120  
80x80  
40x80  
60x60  
30x60  
10x30

pag. 6



# 3 TEXTURE

CEMENT  
WOOD  
ELEMENTS

pag. 7



# 6 TINTE MORBIDE

TAUPE  
IVORY  
WHITE  
ICE  
GREY  
SMOKE

pag. 8



# 3 TINTE FORTI

EARTH  
CORTEN  
PETROL

pag. 9



“L'unico ostacolo è la tua immaginazione”


“The only obstacle is your imagination”

# 8


Formati Size

## CEMENT

120x120 - 48"x48" R10



80x80 - 32"x32" R10



40x80 - 16"x32" R10



10x30 - 4"x12" R10



60x120 - 24"x48" R10



60x60 - 24"x24" R10/R11



30x60 - 12"x24" R10



## ELEMENTS

60x120 - 24"x48" R10




## WOOD

20x120 - 8"x48" R10



# 3

Texture **Texture**





WHITE



IVORY



TAUPE



ICE



GREY




SMOKE

# 6

## Tinte Morbide

Soft Colors



# 3

## Tinte Forti

Strong Colors



EARTH



CORTEN



PETROL



B



# S





“ABSØLUTE è  
Rock e Classico”  
“ABSØLUTE is Rock and Classic”



O







L




# U


















E







# WALL





A





L

# LEGENDA RECAP

# ABSOLUTE




**WALL** Elements Petrol 60x120  
**FLOOR** Cement Grey 80x80



**WALL** Cement Taupe 80x80  
**FLOOR** Wood Taupe 20x120



**WALL** Cement Taupe 120x120  
**FLOOR** Cement Taupe 120x120



**WALL** Wallbrick 30x90  
**FLOOR** Cement Grey 120x120



**WALL** Elements Earth 60x120  
**FLOOR** Wood Grey 20x120



**WALL** Wood Ivory 20x120  
**FLOOR** Elements Corten 60x120



**WALL** Cement Smoke 40x80  
**SHOWER** Cement Smoke 5x5 mosaico  
**FLOOR** Cement Smoke 80x80



**WALL** Cement Taupe 60x120  
**FLOOR** Elements Corten 60x120



**FLOOR** Cement Grey 60x60



**FLOOR** Cement Grey 60x60 Sp. 20mm R11



**WALL** Cement Ice 10x30  
**FLOOR** Cement Grey 60x120



**BAR** Elements Earth 60x120 **FLOOR** Elements Corten 60x120



**FLOOR** Elements Petrol 60x120



**WALL** Elements Petrol 60x120  
**FLOOR** Elements Petrol 60x120 / Wood Ivory 20x120



**WALL** Elements Petrol 60x120 - Wood White 20x120  
**FLOOR** Cement Smoke 60x120



**WALL** Cement Smoke 5x5 mosaico  
**FLOOR** Wood Ice 20x120



**WALL** Cement White 60x120  
**FLOOR** Wood Ivory 20x120




**WALL** Decoro Pine Taupe 30x90  
**FLOOR** Wood Ivory 20x120



**WALL** Ivory 30x90, Righe Earth 30x90  
**FLOOR** Planet Noce 20x120



**WALL** Decoro Corten 30x90, Taupe 30x90  
**FLOOR** Elements Petrol 60x120



**WALL** Elements Earth 60x120 **RECEPTION** Elements Corten 60x120, Bacchetta Bronzo 0,3x1x120  
**FLOOR** Cement White 60x120 81,915 % / mq  
Wood Taupe 20x120 18,085 % / mq



**FLOOR** Cement Ivory 60x60 Sp. 20mm R11




**WALL** Cement White 60x120/30x60  
**FLOOR** Cement White 60x120 - Elements Earth 60x120



**WALL** Decoro Tetrys 30x90  
**FLOOR** Wood White 20x120




**WALL** Decoro Pine Grey 30x90, Grey 30x90



**WALL** Ice 30x90, Muretto Silver 30x90  
**FLOOR** Cement Smoke 80x80

# CEMENT FORMATI . SIZES


120x120 48"x48"



Rectified R10  
± 8,5 mm  
2x **170**

8001859 White  
8001861 Ivory  
8001860 Ice  
8001862 Grey

60x120 24"x48"



Rectified R10  
± 9,5 mm  
2x **149**


8000143 White  
8000139 Ivory  
8000142 Taupe  
8000137 Ice  
8000135 Grey  
8000141 Smoke

Rectified R11  
± 9,5 mm  
2x **149**

8002535 White  
8002538 Ivory  
8002536 Ice  
8002537 Grey



80x80 32"x32"



Rectified R10  
± 9 mm  
2x **149**

8000162 White  
8000159 Ivory  
8000161 Taupe  
8000158 Ice  
8000157 Grey  
8000160 Smoke


40x80 16"x32"



Rectified R10  
± 9 mm  
3x **149**

8000134 White  
8000131 Ivory  
8000133 Taupe  
8000130 Ice  
8000129 Grey  
8000132 Smoke

60x60 24"x24"



Rectified R10  
± 9 mm  
3x **130**

8000150 White  
8000147 Ivory  
8000149 Taupe  
8000146 Ice  
8000145 Grey  
8000148 Smoke

Rectified R11  
± 20 mm \*  
2x **163**

8005280 Ivory  
8005346 Grey



\* Raccomandazioni di posa a fine catalogo Laying recommendations at the end of the catalogue

# CEMENT FORMATI . SIZES

30x60 12"x24"



Rectified R10  
± 9 mm  
6x **130**

8000128 White  
8000125 Ivory  
8000127 Taupe  
8000124 Ice  
8000123 Grey  
8000126 Smoke

10x30 4"x12"




Rectified R10  
± 9 mm  
32x **151** \*

8000121 White  
8000118 Ivory  
8000120 Taupe  
8000117 Ice  
8000116 Grey  
8000119 Smoke

\* Vendita su ordinazione. Available upon request.

## CEMENT DECORI DECORS

30x30 12"x12"



Mosaico 5x5 su rete  
11x **20** \*

8000175 White  
8000172 Ivory  
8000174 Taupe  
8000171 Ice  
8000170 Grey  
8000173 Smoke

\* Vendita tassativa a scatole complete. Disponibile su ordinazione con un minimo di 3 settimane. Sold by full boxes only. Available on demand with, at least, a 3 weeks waiting.

## CEMENT PEZZI SPECIALI SPECIAL TRIMS


Disponibili in tutti i colori Available in all colors




**Battiscopa Digitale**  
Skirting  
6x60 2.4"x24"  
15x **30**



**Battiscopa Digitale**  
Skirting  
6x80 2.4"x32"  
8x **48**



**Gradino Lineare Costa Retta**  
Step  
33x120x3 13"x48"x1.2"  
2x **189** \*



**Angolare Costa Retta**  
Corner Step  
33x120x3 13"x48"x1.2"  
2x   
Angolare DX/SX **204** \*  
Angolare DX **190** \*  
Angolare SX **190** \*



Guarda la tabella completa dei pezzi speciali sul sito. View the complete special trims tabel at website.

\* Vendita su ordinazione. Available upon request.

ABSOLUTE	pcs/box	m <sup>2</sup> /box	kg/box	box/pallet	m <sup>2</sup> /pallet	kg/pallet
120x120 48"x48" Rectified R10	2	2,88	67,00	24	69,12	1320,00
60x120 24"x48" CEMENT Rectified R10/R11	2	1,44	29,60	36	51,84	1080,00
80x80 32"x32" CEMENT Rectified R10	2	1,28	24,96	40	51,20	998,40
40x80 16"x32" CEMENT Rectified R10	3	0,96	18,66	28	26,88	522,48
60x60 24"x24" CEMENT Rectified SP. 20 mm R11	2	0,72	31,30	32	23,04	1011,00
60x60 24"x24" CEMENT Rectified R10	3	1,08	21,30	40	43,20	852,00
30x60 12"x24" CEMENT Rectified R10	6	1,08	21,00	48	51,84	1008,00
10x30 4"x12" CEMENT Rectified R10	32	0,96	19,30	36	34,56	694,80

WHITE

IVORY

TAUPE

ICE

GREY

SMOKE

## WOOD FORMATI . SIZES

20x120 8"x48"


18 Printings

Rectified R10  
± 9,5 mm  
5x📦  
148

8002070 White  
8002067 Ivory  
8002069 Taupe  
8002066 Ice  
8002065 Grey  
8002068 Smoke

## WOOD DECORI DECORS

30x30 12"x12"



Mosaico 5x5 su rete  
11x📦  
20 \*


8002300 White  
8000211 Ivory  
8000213 Taupe  
8000210 Ice  
8000209 Grey  
8000212 Smoke

• Vendita tassativa a scatole complete. Disponibile su ordinazione con un minimo di 3 settimane. Sold by full boxes only. Available on demand with, at least, a 3 weeks waiting.


## WOOD PEZZI SPECIALI SPECIAL TRIMS



Battiscopa Digitale  
Skirting  
6x60 2.4"x24"  
15x📦  
30



Gradino Lineare Costa Retta  
Step  
20x120x3 8"x48"x1.2"  
2x📦  
189 \*



Angolare Costa Retta  
Corner Step  
33x120x3 13"x48"x1.2"  
2x📦  
Angolare DX/SX 204 \*  
Angolare DX 190 \*  
Angolare SX 190 \*



Guarda la tabella completa dei pezzi speciali sul sito. View the complete special trims tabel at website.

\* Vendita su ordinazione. Available upon request.

ABSOLUTE WOOD	pcs/box	mq/box	kg/box	box/pallet	mq/pallet	kg/pallet
20x120 8"x48" WOOD Rectified R10	5	1,20	24,41	48	57,60	1187,00

## ELEMENTS FORMATI . SIZES

60x120 24"x48"


6 Printings

Rectified R10  
± 9,5 mm  
2x📦  
149

8000181 Earth  
8000180 Corten  
8000182 Petrol

## ELEMENTS DECORI DECORS

30x30 12"x12"



Mosaico 5x5 su rete  
11x📦  
20 \*


8000189 Earth  
8000188 Corten  
8000190 Petrol

• Vendita tassativa a scatole complete. Disponibile su ordinazione con un minimo di 3 settimane. Sold by full boxes only. Available on demand with, at least, a 3 weeks waiting.


## ELEMENTS PEZZI SPECIALI SPECIAL TRIMS



Battiscopa Digitale  
Skirting  
6x60 2.4"x24"  
15x📦  
30



Gradino Lineare Costa Retta  
Step  
33x120x3 13"x48"x1.2"  
2x📦  
189 \*



Angolare Costa Retta  
Corner Step  
33x120x3 13"x48"x1.2"  
2x📦  
Angolare DX/SX 204 \*  
Angolare DX 190 \*  
Angolare SX 190 \*



Guarda la tabella completa dei pezzi speciali sul sito. View the complete special trims tabel at website.

\* Vendita su ordinazione. Available upon request.

ABSOLUTE ELEMENTS	pcs/box	mq/box	kg/box	box/pallet	mq/pallet	kg/pallet
60x120 24"x48" ELEMENTS Rectified R10	2	1,44	29,60	36	51,84	1080,00



WHITE



IVORY



TAUPE



ICE



GREY



SMOKE



EARTH



CORTEN



PETROL

# ABSOLUTE 30x90 cm


± 8 mm



30x90 12"x36"  
8000112 Absolute Ivory 10 Printings  
5x 148



30x90 12"x36"  
8000114 Absolute Taupe 10 Printings  
5x 148



30x90 12"x36"  
8000108 Absolute Decoro Corten \* 10 Printings \*   
5x 149



30x90 12"x36"  
8000195 Absolute Decoro Pine Taupe 4x \* 193



30x90 12"x36"  
8000111 Absolute Ice 10 Printings  
5x 148



30x90 12"x36"  
8000110 Absolute Grey 10 Printings  
5x 148



30x90 12"x36"  
8000113 Absolute Muretto Silver \* 10 Printings \*   
5x 149



30x90 12"x36"  
8000194 Absolute Decoro Pine Grey 4x \* 193

# ABSOLUTE 30x90 cm

± 8 mm



30x90 12"x36"  
8000109 Absolute Righe Earth \* 6 Printings \*   
5x 149



30x90 12"x36"  
8000115 Absolute Decoro Tetrys \* 3 Printings \*   
5x 149

\* Vendita tassativa a scatole complete Sale in full boxes only

\*

I decori sono soggetti misti e sono inscatolati in modo casuale.  
Decorations are mixed subjects and are randomly packed.

\* Posa consigliata con fuga 2 mm. La ripresa grafica tra i decori può avere una tolleranza contenuta in 2 cm.  
Recommended installation with 2 mm joint. The tile graphic between the decorations can have a tolerance included in 2 cm.

ABSOLUTE	pcs/box	mq/box	kg/box	box/pallet	mq/pallet	kg/pallet
30x90 12"x36" Rectified	5	1,35	23,80	48	64,80	1142,40
30x90 12"x36" Decoro Tetrys Rectified	5	1,35	23,80	48	64,80	1142,40
30x90 12"x36" Righe Earth Rectified	5	1,35	23,80	48	64,80	1142,40
30x90 12"x36" Decoro Corten Rectified	5	1,35	23,80	48	64,80	1142,40
30x90 12"x36" Muretto Silver Rectified	5	1,35	23,80	48	64,80	1142,40
30x90 12"x36" Decoro Pine Rectified	4	1,08	-	20	-	-

## NORMA DI RIFERIMENTO / SPECIFICATION REFERENCE ISO 13006/ENI4411 APPENDICE G Bla GL


Caratteristiche tecniche Technical features	Norma Norm	ABSOLUTE	
		Rettificato Rectified	± 20 mm
LUNGHEZZA E LARGHEZZA LENGTH AND WIDTH	UNI EN ISO 10545-2	CONFORME IN ACCORDANCE	
SPESSORE THICKNESS		CONFORME IN ACCORDANCE	
RETTILINEITÀ SPIGOLI STRAIGHTNESS OF SIDES		CONFORME IN ACCORDANCE	
ORTOGONALITÀ RECTANGULARITY		CONFORME IN ACCORDANCE	
PLANARITÀ SURFACE FLATNESS		CONFORME IN ACCORDANCE	
ASPETTO ASPECT		CONFORME IN ACCORDANCE	
ASSORBIMENTO D'ACQUA WATER ABSORPTION	UNI EN ISO 10545-3	≤ 0.5%	
RESISTENZA A FLESSIONE FLEXURAL STRENGTH	UNI EN ISO 10545-4	≥ 35 N/mm <sup>2</sup>	
MODULO DI ROTTURA BREAKING STRENGTH		≥ 1300 N	
DETERMINAZIONE DELLA RESISTENZA ALL'URTO DETERMINATION OF IMPACT RESISTANCE	UNI EN ISO 10545-5	0.90	
RESISTENZA ALL'ABRASIONE (METODO PEI) ABRASION RESISTANCE (PEI-METHOD)	UNI EN ISO 10545-7	PEI 3 + 5	
COEFFICIENTE DI DILATAZIONE TERMICA LINEARE THERMAL EXPANSION COEFFICIENT	UNI EN ISO 10545-8	(5.7+5.9) X 10 <sup>-6</sup> /°C	
RESISTENZA AGLI SBALZI TERMICI THERMAL SHOCK RESISTANCE	UNI EN ISO 10545-9	RESISTENTE RESISTANT	
DETERMINAZIONE DELLA DILATAZIONE DOVUTA ALL'UMIDITÀ DETERMINATION OF MOISTURE EXPANSION	UNI EN ISO 10545-10	0.0 mm/m	
DETERMINAZIONE DELLA RESISTENZA AL CAVILLO DETERMINATION OF CRAZING RESISTANCE	UNI EN ISO 10545-11	RESISTENTE RESISTANT	
RESISTENZA AL GELO FROST RESISTANCE	UNI EN ISO 10545-12	INGELIVO FROST-RESISTANT	
RESISTENZA AGLI AGENTI CHIMICI RESISTANCE TO CHEMICALS	UNI EN ISO 10545-13	MIN. CLASS B LB HB	MIN. CLASS B LB HB
RESISTENZA ALLE MACCHIE STAIN RESISTANCE	UNI EN ISO 10545-14	MINIMO CLASSE 3 MINIMUM CLASS 3	
RESISTENZA ALLO SCIVOLAMENTO SLIP RESISTANCE	DIN 51130	R10	R11
	DIN 51097	A+B	A+B+C
	C.o.F B.C.R./D.M. 236 14/6/89	>0.40	>0.40
	D.C.o.F / ANSI A326.3	>0.42	>0.42
REAZIONE AL FUOCO REACTION TO FIRE	96/603/CE	A <sub>1</sub> FL	
GRADO DI VARIAZIONE CROMATICA AESTHETIC CLASSES	ANSI A137.1	V2	

## POSA SOPRAELEVATA 60x60 ± 2 cm

## 24"x24" ± 3/4" INSTALLATION ONTO FLAT SURFACES (RAISED LAYING)

Ad oggi non esiste una normativa specifica per i pavimenti sopraelevati da esterno, si rimanda pertanto al professionista progettista un'attenta valutazione dei requisiti del progetto. MARINER suggerisce l'utilizzo di supporti aggiuntivi sotto le piastrelle (5° supporto centrale), come da schema sotto riportato.

To date, there is no existing regulatory standard regarding outdoor raised floors. Therefore, the Customer/Designer/Project Manager has to arrange for a careful assessment of the project and its requirements. MARINER recommends the adoption of additional supports under the tiles (5th central support), as per diagram below.





PARITÀ • ENERGIA • SICUREZZA • QUALITÀ • AMBIENTE

ABSOLUTE

---

