

ROYAL   
BOTANIA

LIGHTING



Discover the beauty and functionality of Royal Botania Lighting. Our harmonious designs come in a variety of styles and are made from high-quality materials with cutting-edge technology. Enhance the appearance of your property and create a dynamic display with outdoor lighting that not only transforms its appearance at night, but also adds security to your driveways and entrance paths.

# AVAILABILITY OF PRODUCTS

PLEASE NOTE THAT SOME PRODUCT REFERENCES ARE MARKED WITH AN ASTERISK (\*), INDICATING THAT THEY ARE ONLY AVAILABLE WHILE SUPPLIES LAST. IF YOU WOULD LIKE MORE INFORMATION OR TO CHECK ON CURRENT STOCK, PLEASE CONTACT US.

## LEGEND




IP43 PROTECTED AGAINST OBJECTS > 1MM & PROTECTED AGAINST WATER SPRAYED AT MAX. ANGLE 60°

IP44 PROTECTED AGAINST OBJECTS > 1MM & WATER PROJECTIONS FROM ALL DIRECTIONS (360°)

IP55 PROTECTED AGAINST DUST & AGAINST WATER SPRAYED FROM ALL DIRECTIONS (360°)

IP65 TOTALLY SEALED AGAINST DUST & AGAINST WATER SPRAYED FROM ALL DIRECTIONS (360°)


IP68 TOTALLY SEALED AGAINST DUST & PROTECTED AGAINST PERMANENT IMMERSION

	Protective category 1
	Protective category 2
	Protective category 3

4	BEACON
6	BEACON WALL
8	BEAMY
10	BEAMY WALL
12	BULLET
14	CLOCHE WALL
16	CLUB LOUNGE
18	DOME CEILING
20	DOME FLOOR
22	DOME GATE
24	DOME MOVE
26	DOME SMALL
28	DOME WALL
30	DOME GLASS VARIETIES
32	FUNGY
36	LUNIZ
40	MEDUZ

42	MOSO WALL
44	OMEGA WALL
46	PARKER
48	PARKER WALL
50	Q-BIC
52	Q-BIC WALL
56	ROPY
58	ROPY TABLE
62	RUSTY
64	SEPTEM
66	SPIKY
68	SPOTTY
72	TESLA CEILING
74	TESLA WALL
78	TRISTAR
82	ACCESSORIES
83	MATERIALS

# BEACON







TEAK



PORCELAIN: BLACK/WHITE



REFERENCE	DESCRIPTION	INTEGRATED LIGHT	WATT	K	LM	INPUT	IP	EEC
BCN140B	 BLACK	LED	2,2 W	2700	390	100-240V	65	C 
BCN140W	 WHITE	LED	2,2 W	2700	390	100-240V	65	C 



INCLUDES 250mA DRIVER

INSTALLATION OPTION: JUB5625



BEACON WHITE PORCELAIN

# BEACON WALL







TEAK



PORCELAIN: BLACK/WHITE




REFERENCE	DESCRIPTION	INTEGRATED LIGHT	WATT	K	LM	INPUT	IP	EEC
BCNWB	 BLACK	LED	2,2 W	2700	390	100-240V	65	C 
BCNWW	 WHITE	LED	2,2 W	2700	390	100-240V	65	C 

INCLUDES 250mA DRIVER



BEACON WALL WHITE PORCELAIN

# BEAMY



TEAK



ANTIQUÉ ZINC














ANTIQUÉ BRASS

WEATHERED BRASS



POWDER COATED ALUMINIUM: ANTHRACITE/WHITE




REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	INPUT	IP	EEC
BMY100230AZ	 ANTIQUÉ ZINC	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	44	A-G 
BMY100230AB	 ANTIQUÉ BRASS	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	44	A-G 
BMY100230WB	 WEATHERED BRASS	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	44	A-G 
BMY100230A	 ANTHRACITE	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	44	A-G 
BMY100230WR	 WHITE	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	44	A-G 

INSTALLATION OPTION: JUB5625



BEAMY ANTHRACITE COATED - ALURA 195 LOUNGER - BUTLER 40 SIDE TABLE

# BEAMY WALL




ANTIQUE ZINC




ANTIQUE BRASS

WEATHERED BRASS



POWDER COATED ALUMINIUM: ANTHRACITE/WHITE



REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	INPUT	IP	EEC
BMYW230AZ	ANTIQUE ZINC	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	44	A-G
BMYW230AB	ANTIQUE BRASS	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	44	A-G
BMYW230WB	WEATHERED BRASS	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	44	A-G
BMYW230A	ANTHRACITE	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	44	A-G
BMYW230WR	WHITE	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	44	A-G



ANTIQUE ZINC



ANTIQUE BRASS



WEATHERED BRASS



ANTHRACITE COATED




WHITE COATED



BEAMY WALL ANTIQUE ZINC

# BULLET



ANTIQUE BRASS



ANTIQUE ZINC




REFERENCE	DESCRIPTION	INTEGRATED LIGHT	WATT	INPUT	IP	EEC
BLTG230AB	40 CM - ANTIQUE BRASS	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	44	A-G
BLTG230AZ	40 CM - ANTIQUE ZINC	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	44	A-G
BLT230AB	110 CM - ANTIQUE BRASS	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	44	A-G
BLT230AZ	110 CM - ANTIQUE ZINC	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	44	A-G

INFO: ADJUSTABLE HEAD



# CLOCHE WALL





TEAK



MOUTHBLOWN GLASS: CLEAR




REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	K	LM	INPUT	IP	EEC
CLOW	 CLEAR	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	44	A-G 



CLOCHE WALL - MAMBO LOUNGE - TONO 70 POUF - RUG 2535 SAND

# CLUB LOUNGE







TEAK



LAMP SHADE: TRANSPARENT/AMBER



REFERENCE	DESCRIPTION	INTEGRATED LIGHT	WATT	K	LM	INPUT	IP	EEC
CLBLTR	 TRANSPARENT SHADE	LED	4,3 W	2700	700	100-240V	65	D 
CLBLAM	 AMBER SHADE	LED	4,3 W	2700	700	100-240V	65	D 


CORD LENGTH: 4 METER

POWER SUPPLY: 500MA DRIVER INCLUDED



CLUB LOUNGE WITH TRANSPARENT LAMP SHADE - MAMBO LOUNGE - RUG 2535 SAND

# DOME CEILING



POWDER COATED ALUMINIUM: BLACK



MOUTHBLOWN GLASS: CLEAR/SMOKE




REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	K	LM	INPUT	IP	EEC
DOMECBCL	49-78 CM - CLEAR	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G
DOMECBSM	49-78 CM - SMOKE	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G
DOMECLBCL	74-134 CM - CLEAR	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G
DOMECLBSM	74-134 CM - SMOKE	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G



DOME CEILING 49-78CM WITH CLEAR GLASS - TABOELA 220 DINING TABLE - O-ZON 55 DINING CHAIR

# DOME FLOOR



POWDER COATED ALUMINIUM: BLACK



MOUTHBLOWN GLASS: CLEAR/SMOKE




REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	K	LM	INPUT	IP	EEC
DOMEFBCL	CLEAR - 171CM	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G
DOMEFBSM	SMOKE - 171CM	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G
DOMEF110BCL	CLEAR - 110CM	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G
DOMEF110BSM	SMOKE - 110CM	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G

INSTALLATION OPTION: JUB5625



DOME FLOOR WITH CLEAR GLASS

# DOME GATE







POWDER COATED ALUMINIUM: BLACK



MOUTHBLOWN GLASS: CLEAR/SMOKE




REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	K	LM	INPUT	IP	EEC
DOMEGTBCL	 CLEAR	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G 
DOMEGTBSM	 SMOKE	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G 



DOME GATE WITH CLEAR GLASS

# DOME MOVE







POWDER COATED ALUMINIUM: BLACK



MOUTHBLOWN GLASS: CLEAR/SMOKE



REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	K	LM	INPUT	IP	EEC
DOMEMBCL	 CLEAR	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G 
DOMEMBSM	 SMOKE	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G 


CORD LENGTH: 5 METER

O3DOMEMBALLAST01: OPTIONAL GALVANIZED STEEL BALLAST



DOME MOVE WITH SMOKE GLASS - DOME WALL WITH CLEAR GLASS

# DOME SMALL



POWDER COATED ALUMINIUM: BLACK



MOUTHBLOWN GLASS: CLEAR/SMOKE



TEAK




REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	K	LM	INPUT	IP	EEC
DOMESBCL	CLEAR	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G
DOMESBSM	SMOKE	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G

CORD LENGTH: 4 METER



DOME SMALL WITH SMOKE & CLEAR GLASS

# DOME WALL







POWDER COATED ALUMINIUM: BLACK



MOUTHBLOWN GLASS: CLEAR/SMOKE



REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	K	LM	INPUT	IP	EEC
DOMEWBCL	 CLEAR	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G 
DOMEWBSM	 SMOKE	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G 



DOME WALL WITH CLEAR GLASS

# DOME GLASS VARIETIES

## FLOOR / WALL



---


### REFERENCE

---

03DOMG01	CLEAR MOUTHBLOWN GLASS
03DOMG01SM	SMOKE MOUTHBLOWN GLASS

---

## MOVE / SMALL / GATE / CEILING



---

### REFERENCE

---

03DOMG02	CLEAR MOUTHBLOWN GLASS
03DOMG02SM	SMOKE MOUTHBLOWN GLASS

---




— CLEAR



— SMOKE

# FUNGY



RUSTY IRON



WEATHERED BRASS



REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	INPUT	IP	EEC
FGY50RI	RUSTY IRON	G9 - (LED NOT INCLUDED)	MAX 5 W	230V	55	A-G
FGY50WB	WEATHERED BRASS	G9 - (LED NOT INCLUDED)	MAX 5 W	230V	55	A-G


INSTALLATION OPTION: JUB5625









# LUNIZ



POWDER COATED STAINLESS STEEL FRAME: ANTHRACITE/PEBBLE



CERAMIC BASE PLATE



ROPE LAMPSHADE OPTION: BLACK/GREEN/DESERT



FABRIC LAMPSHADE OPTION: 70+ FABRICS



REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	INPUT	IP	EEC
LNZSMLA	■ ANTHRACITE	3x E27 - DECORATIVE LEDS INCLUDED	MAX 15W	230V	44	A-G
LNZSMLPB	■ PEBBLE	3x E27 - DECORATIVE LEDS INCLUDED	MAX 15W	230V	44	A-G
LNZBASE70CERAM...(WUM/CL/PG/NM/BS/TR/TG/ZUM/CD/TS/TM) CERAMIC BASE PLATE						
LNZSHADER40A...	(BR/G/D) 40 CM ROPE LAMPSHADE					
LNZSHADER50A...	(BR/G/D) 50 CM ROPE LAMPSHADE					
LNZSHADER60A...	(BR/G/D) 60 CM ROPE LAMPSHADE					
LNZSHADEF40WR...	(SEE FABRICS) 40 CM FABRIC LAMPSHADE					
LNZSHADEF50WR...	(SEE FABRICS) 50 CM FABRIC LAMPSHADE					
LNZSHADEF60WR...	(SEE FABRICS) 60 CM FABRIC LAMPSHADE					

THIS LAMP COMES WITH A HEAVY BASE THAT ALLOWS FOR VARIOUS CERAMIC BASE PLATE CHOICES. IT HAS MODULAR LAMPSHADE OPTIONS WITH THREE SIZES THAT CAN BE MIXED OR MATCHED. AVAILABLE IN THREE ROPE COLOURS OR OVER 70 FABRICS.

CORD LENGTH: 5M




LUNIZ ANTHRACITE COATED WITH BLACK & DESERT POLYOLEFIN ROPE LAMP SHADES - STYLETTO LOUNGE - RUG 2535 ROCK





# MEDUZ







POWDER COATED ALUMINIUM: ANTHRACITE/PEBBLE



MOUTHBLOWN GLASS: SMOKE





REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	K	LM	INPUT	IP	EEC
MDZ150ASM	 ANTHRACITE - SMOKE	E27 - DECORATIVE LED INCLUDED 4 W	2200	280	230V	43	A-G	
MDZ150PBSM	 PEBBLE - SMOKE	E27 - DECORATIVE LED INCLUDED 4 W	2200	280	230V	43	A-G	

CORD LENGTH: 5M















MEDUZ PEBBLE COATED WITH SMOKE GLASS - ORGANIX LOUNGE - CONIX 2513 LOW DINING TABLE - CONIX 60 SIDE TABLE

# MOSO WALL



PORCELAIN: WHITE/BLACK/NIGHT BLUE




REFERENCE	DESCRIPTION	INTEGRATED LIGHT	WATT	K	LM	INPUT	IP	EEC
MSOWUW*	 UP - WHITE	LED	3 W	2700	450	230V	65	D 
MSOWUB*	 UP - BLACK	LED	3 W	2700	450	230V	65	D 
MSOWUNB*	 UP - NIGHT BLUE	LED	3 W	2700	450	230V	65	D 
MSOWDW*	 DOWN - WHITE	LED	3 W	2700	450	230V	65	D 
MSOWDB*	 DOWN - BLACK	LED	3 W	2700	450	230V	65	D 
MSOWDNB*	 DOWN - NIGHT BLUE	LED	3 W	2700	450	230V	65	D 

POWER SUPPLY: 350MA DRIVER INCLUDED



# OMEGA WALL




ELECTROPOLISHED STAINLESS STEEL



REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	INPUT	IP	EEC
OMG1D220EP	1 SPOT	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G
OMG2D220EP	2 SPOTS	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G




# PARKER FLOOD & PATH



ANTIQUE BRASS



BLACK PEARL GRANITE



REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	INPUT	IP	EEC
PRKF230	WITH BASE	GU10 (LED NOT INCLUDED)	MAX 5 W	230V	55	A-G
PRKP230	WITH SPIKE	GU10 (LED NOT INCLUDED)	MAX 5 W	230V	55	A-G


CORD LENGTH: 5 METER  
LED INCLUDES 500mA DRIVER

PRKF: INCLUDES 40 CM GRANITE BASE  
PRKP: INCLUDES SPIKE



PARKER PATH WITH SPIKE

# PARKER WALL



ANTIQUÉ BRASS




REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	INPUT	IP	EEC
PRKW230	ANTIQUÉ BRASS	GU10 (LED NOT INCLUDED)	MAX 5 W	230V	55	A-G

LED INCLUDES 350mA DRIVER



PARKER WALL - STRAPPY 195 LOUNGER & FOOTREST

# Q-BIC



TEAK



ELECTROPOLISHED STAINLESS STEEL



POWDER COATED ALUMINIUM: ANTHRACITE




REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	INPUT	IP	EEC
QB301D220EP	30 CM 1 SPOT - EP	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G
QB302D220EP	30 CM 2 SPOT - EP	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G
QB601D220EP	60 CM 1 SPOT - EP	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G
QB602D220EP	60 CM 2 SPOT - EP	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G
QBG1D220EP	10 CM 1 SPOT - EP	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G
QBG2D220EP	10 CM 2 SPOT - EP	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G
QB301D230A	30 CM 1 SPOT - ANTHRACITE	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G
QB302D230A	30 CM 2 SPOT - ANTHRACITE	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G
QB601D230A	60 CM 1 SPOT - ANTHRACITE	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G
QB602D230A	60 CM 2 SPOT - ANTHRACITE	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G
QBG1D230A	10 CM 1 SPOT - ANTHRACITE	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G
QBG2D230A	10 CM 2 SPOT - ANTHRACITE	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G

ADJUSTABLE ANGLE 270°  
INSTALLATION OPTION: JUB5625



Q-BIC 30 CM 1 SPOT ANTHRACITE

# Q-BIC WALL



TEAK



ELECTROPOLISHED STAINLESS STEEL



POWDER COATED ALUMINIUM: ANTHRACITE



REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	INPUT	IP	EEC
QBW1D220EP	1 SPOT - EP	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G
QBW2D220EP	2 SPOTS - EP	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G
QBWVD220EP	1 SPOT 270° - EP	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G
QBWVD230A	1 SPOT 270° - ANTHRACITE	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	55	A-G

QBWVD220EP: ADJUSTABLE ANGLE 270° - GROUND MOUNTING IS ALSO POSSIBLE

QBWVD230A: ADJUSTABLE ANGLE 270° - GROUND MOUNTING IS ALSO POSSIBLE




Q-BIC WALL 1 SPOT 270° ELECTROPOLISHED STAINLESS STEEL






Q-BIC WALL 2 SPOTS ELECTROPOLISHED STAINLESS STEEL

# ROPY




SOLAR LIGHT



40 CM







Ø 29 CM

POWDER COATED ALUMINIUM: ANTHRACITE/GREEN/PEBBLE



POLYOLEFIN ROPE: BRONZE/GREEN/DESERT



REFERENCE	DESCRIPTION	INTEGRATED LIGHT	WATT	K	LM	INPUT	IP	EEC
RPY040AB	 BRONZE	SOLAR LED	3,2 W	2700	400	230V	54	A 
RPY040GG	 GREEN	SOLAR LED	3,2 W	2700	400	230V	54	A 
RPY040PBD	 DESERT	SOLAR LED	3,2 W	2700	400	230V	54	A 

3 STEP DIMMING




ROPY GREEN COATED WITH GREEN POLYOLEFIN ROPE

# ROPY TABLE



SOLAR LIGHT









POWDER COATED ALUMINIUM: ANTHRACITE/GREEN/PEBBLE



POLYOLEFIN ROPE: BRONZE/GREEN/DESERT



REFERENCE	DESCRIPTION	INTEGRATED LIGHT	WATT	K	LM	INPUT	IP	EEC
RPYTBAB	 BRONZE	SOLAR LED	1,2 W	2700	150	230V	54	A 
RPYTBGG	 GREEN	SOLAR LED	1,2 W	2700	150	230V	54	A 
RPYTBPD	 DESERT	SOLAR LED	1,2 W	2700	150	230V	54	A 

3 STEP DIMMING




ROPY TABLE PEBBLE COATED WITH DESERT POLYOLEFIN ROPE





# RUSTY



RUSTY IRON




REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	K	LM	INPUT	IP	EEC
RUS40	40 CM	E27 - LED / FLUO (NOT INCLUDED)	MAX 11 W				55	A-G
RUS70	70 CM	E27 - LED / FLUO (NOT INCLUDED)	MAX 11 W				55	A-G

## INTEGRATED LIGHT

RUS40L	40 CM	LED	9 W	3000	470	230V	55	G
RUS70L	70 CM	LED	9 W	3000	470	230V	55	G

LED INCLUDES 250mA DRIVER  
 INSTALLATION OPTION: JUB5625




RUSTY 40 CM - ALURA LOUNGE - CONIX 40 SIDE TABLE - RUG 2535 GREEN

# SEPTEM



15,7 CM




12 CM



70 CM

TEAK




REFERENCE	INTEGRATED LIGHT	WATT	K	LM	INPUT	IP	EEC
SEP070W	LED	3 W	2700	450	100-240V	65	C 

ADJUSTABLE SPOT 10°

INCLUDES 350mA DRIVER



# SPIKY



ANTIQUE BRASS




REFERENCE	DESCRIPTION	INTEGRATED LIGHT	WATT	K	LM	INPUT	IP	EEC
SPKG	40 CM	LED	3 W	2700	450	350 mA	65	A
SPK	100 CM	LED	3 W	2700	450	350 mA	65	A

REQUIRED: LEDCONKIT OR DR11



# SPOTTY




WEATHERED BRASS




REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	INPUT	IP	EEC
SPT230L040WB	40 CM	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	65	A-G
SPT230L110WB	110 CM	GU10 - LED FLAT OPTIC (NOT INCLUDED)	5 W	230V	65	A-G







# TESLA CEILING



POWDER COATED ALUMINIUM: ANTHRACITE




MOUTHBLOWN GLASS: CLEAR/SMOKE



REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	K	LM	INPUT	IP	EEC
TSLCA	CLEAR	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G
TSLCASM	SMOKE	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G



# TESLA WALL







POWDER COATED ALUMINIUM: ANTHRACITE



MOUTHBLOWN GLASS: CLEAR/SMOKE



REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	K	LM	INPUT	IP	EEC
TSLWA	 CLEAR	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G 
TSLWASM	 SMOKE	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G 




TESLA WALL WITH SMOKE GLASS - CONIX 150V DINING TABLE - OSTREA 55 DINING CHAIR - ROPY TABLE PEBBLE COATED WITH DESERT POLYOLEFIN ROPE






# TRISTAR



TEAK



POWDER COATED STAINLESS STEEL: ANTHRACITE/WHITE



MOUTHBLOWN GLASS: CLEAR/SMOKE



REFERENCE	DESCRIPTION	LIGHTBULB SOCKET	WATT	K	LM	INPUT	IP	EEC
TRS045CL	45 CM - TEAK - CLEAR	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G
TRS045SM	45 CM - TEAK - SMOKE	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G
TRS050CL	50 CM - TEAK - CLEAR	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G
TRS050SM	50 CM - TEAK - SMOKE	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G
TRS045ACL	45 CM - ANTHRACITE - CLEAR	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G
TRS045WRCL	45 CM - WHITE - CLEAR	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G
TRS045ASM	45 CM - ANTHRACITE - SMOKE	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G
TRS045WRSM	45 CM - WHITE - SMOKE	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G
TRS050ACL	50 CM - ANTHRACITE - CLEAR	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G
TRS050WRCL	50 CM - WHITE - CLEAR	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G
TRS050ASM	50 CM - ANTHRACITE - SMOKE	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G
TRS050WRSM	50 CM - WHITE - SMOKE	E27 - DECORATIVE LED INCLUDED	4 W	2200	280	230V	43	A-G

CORD LENGTH 6,5 METER







TRISTAR 50 & 45 CM TEAK WITH SMOKE GLASS





TRISTAR 50 & 45 CM TEAK WITH CLEAR GLASS

# ACCESSORIES

LBF	STAINLESS STEEL SPIKE: FUNGY	
LBN	STAINLESS STEEL SPIKE: Q-BIC 30/60 / SEPTEM	
LBQ	STAINLESS STEEL SPIKE: Q-BIC GROUND / Q-BIC WALL	
LBD	GALVANISED STEEL SPIKE: DOME FLOOR	
LBDM	GALVANISED STEEL SPIKE: DOME MOVE	
LBR	GALVANISED STEEL SPIKE: RUSTY	
BL360	PERFORATED SCREEN 360° - STAINLESS STEEL	
BL180	PERFORATED SCREEN 180° - STAINLESS STEEL	
BINLS	LED INSERT FOR NEW OR REPLACEMENT FIXTURES (LED 8,5W - 470lm - 3000K - 230V / 50Hz)	CE  IP55
BINLR	LED INSERT FOR NEW OR REPLACEMENT FIXTURES WITH VARIOUS LIGHTOUTPUT LED 2,2W - 390lm UP TO 4,3W - 700lm - 2700K (FOR MORE INFO: PLEASE CONTACT YOUR ROYAL BOTANIA DEALER)	CE IP55
BIN2	E27 LAMP HOLDER - 220V/E27 - LED FLUO MAX 11W	CE  IP55
BINLG9	G9 LAMP HOLDER - 230V/G9 - LED ONLY MAX 5W	CE  IP55
<b>LEDCONKIT</b>	<b>= DR11 + JUB5625 + JUB5630</b>	
DR11	IP68 LED DRIVER 100-220V 50-60HZ - 350mA - 9W	CE IP68
JUB5625	CONNECTION BOX IP68 - 3X4 mm <sup>2</sup>	CE IP68
JUB5630	JUNCTION BOX IP68 - 2X1,5 mm <sup>2</sup>	CE IP68
<b>OPTIONAL BULB FOR TESLA / CLOCHE WALL / LUNIZ / MEDUZ / TRISTAR / DOME COLLECTION</b>		
LTLED04WE27	LED FILAMENT BULB 4W - 220V/E27 - 2200K - 280lm	CE 

# MATERIALS

## TEAK

ROYAL BOTANIA USES CAREFULLY SELECTED, FULLY GROWN TEAK IN ITS PRODUCTS. THE WOOD COMES FROM THE TECTONA GRANDIS TREE AND IS HARVESTED IN ACCORDANCE WITH ENVIRONMENTAL STANDARDS. TEAK IS DURABLE BECAUSE IT CONTAINS HIGH LEVELS OF NATURAL OILS, WHICH PREVENT MOISTURE ABSORPTION AND WARPING. IT IS ALSO RESISTANT TO CHEMICALS AND VERMIN. THESE QUALITIES MAKE TEAK THE MOST PREMIUM WOOD ON EARTH.

TEAK  
REF: W



## ELECTROPOLISHED STAINLESS STEEL

ELECTROPOLISHED STAINLESS STEEL FROM ROYAL BOTANIA IS HIGHLY RESISTANT TO CORROSION. THIS IS BECAUSE THE ELECTROPOLISHING PROCESS REMOVES IMPURITIES AND DEFECTS FROM THE SURFACE OF THE STEEL, CREATING A SMOOTH AND UNIFORM SURFACE THAT IS RESISTANT TO CORROSION. THE PROCESS ALSO INCREASES THE THICKNESS OF THE PROTECTIVE CHROMIUM OXIDE LAYER ON THE STEEL'S SURFACE. THE STEEL IS ALSO MORE DURABLE AND LESS LIKELY TO CRACK OR WARP BECAUSE THE ELECTROPOLISHING PROCESS REMOVES ANY RESIDUAL STRESS IN THE STEEL. THIS MAKES IT AN OPTIMAL CHOICE FOR USE IN OUTDOOR ENVIRONMENTS. THE ELECTROPOLISHING PROCESS CREATES A HIGHLY CORROSION-RESISTANT STAINLESS STEEL THAT IS DURABLE AND LONG-LASTING.


ELECTROPOLISHED STAINLESS STEEL  
REF: EP




## POWDER COATED ALUMINIUM

OUR POWDER COATED ALUMINIUM IS PERFECT FOR OUTDOOR LIGHTING BECAUSE IT IS STRONG, LIGHTWEIGHT, AND RESISTANT TO CORROSION. THE POWDER COATING PROCESS CREATES A DURABLE, EASY-TO-CLEAN SURFACE THAT CAN WITHSTAND EXPOSURE TO THE ELEMENTS. THIS MAKES IT AN IDEAL MATERIAL FOR OUTDOOR LIGHTING FIXTURES.


WHITE  
REF: WR




ANTHRACITE  
REF: A



PEBBLE  
REF: PB



GREEN  
REF: G



## RUSTY IRON

ROYAL BOTANIA USES A CAST IRON ALLOY WITH A SMALL PERCENTAGE OF COPPER AND CHROME. THIS PREVENTS ANY LAYER OF OXIDATION CREATED BY CONTACT WITH AIR AND WATER FROM FLAKING OFF. THE RESULT IS AN EVEN, RUST-COLOURED PATINA THAT BLENDS IN PERFECTLY WITH THE NATURAL SURROUNDINGS.

RUSTY IRON

**REF: RI**



## GLASS

ROYAL BOTANIA OFFERS TWO VARIETIES OF COLORED GLASS: CLEAR AND SMOKE, BOTH HANDMADE AND HIGHLY SUITABLE FOR OUTDOOR USE.

CLEAR

**REF: CL**



SMOKE

**REF: SM**




## BRASS

BRASS IS A METALLIC ALLOY COMPOSED OF COPPER AND ZINC. THE ANTIQUE BRASS FINISH IS ACHIEVED THROUGH A PROCESS OF ACID DIPPING, WHICH GIVES THE BRASS A DARK, AGED APPEARANCE. THIS FINISH IS WIDELY SOUGHT AFTER FOR ITS UNIQUE, VINTAGE LOOK.

ANTIQUÉ BRASS

**REF: AB**



WEATHERED BRASS

**REF: WB**



## ZINC

THE ZINC ALLOY USED TO MANUFACTURE ROYAL BOTANIA LIGHTING WILL LOOK WHITE IN COLOUR WHEN FIRST INSTALLED IN THE LANDSCAPE. THIS IS DUE TO THE ACIDIFICATION OF THE ZINC OXIDE. AT A LATER STAGE, THIS WHITE DEPOSIT WILL WASH OFF AND WILL TURN INTO A LOVELY DARKGREY PATINA.

ZINC  
REF: Z



## PORCELAIN

PORCELAIN, REFINED AND PRODUCED WITH MODERN AND SOPHISTICATED TECHNIQUES REMAINS STABLE IN ALL TEMPERATURES. IT'S EXTREMELY HARD, WEAR-RESISTANT AND COLORFAST. THIS SUSTAINABLE AND LIFELONG PORCELAIN IS VERY SUITABLE FOR INDOOR- AND OUTDOOR USE.

WHITE  
REF: W



BLACK  
REF: B



NIGHT BLUE  
REF: NB



## POLYOLEFIN

THIS SYNTHETIC FIBRE WHICH IS MADE FROM POLYETHYLENE, OFFERS NUMEROUS BENEFITS. THESE INCLUDE EXCEPTIONAL STRENGTH, COLOR FASTNESS, AND RESISTANCE TO STAINING AND VARIOUS WEATHER CONDITIONS. ITS DURABILITY AND VERSATILITY MAKE IT AN EXCELLENT CHOICE FOR A WIDE RANGE OF APPLICATIONS.

BRONZE  
REF: ...B - POLYPROPYLENE



GREEN  
REF: ...G - POLYPROPYLENE



DESERT  
REF: ...D - POLYPROPYLENE



## FABRICS

ROYAL BOTANIA SOURCES ONLY THE FINEST QUALITY TEXTILES FROM AROUND THE WORLD, METICULOUSLY SELECTING MATERIALS THAT ARE BOTH SUMPTUOUS TO THE TOUCH AND CAPABLE OF WITHSTANDING THE ELEMENTS, RESULTING IN A PRODUCT THAT IS BOTH LUXURIOUS AND PRACTICAL.

VIEW THEM BY SCANNING THE QR CODE BELOW!



# CERAMIC

THE CERAMIC TOPS ARE MADE FROM NATURAL CLAYS, SO SMALL COLOUR GRADATIONS CAN OCCUR. THIS MAKES EACH TABLE UNIQUE.


WHITE  
REF: WUM




CEMENTO LUMINOSO  
REF: CL



PEARL GREY  
REF: PG




NERO MARQUINA  
REF: NM



BIANCO STATUARIO  
REF: BS




SIENNA ARENA  
REF: SA




STRATO QUARTZ  
REF: SQ



VERDEZZA AMAZON  
REF: VA



CEPPO DOLOMITICA  
REF: CD




TERRA SABBIA  
REF: TS



TERRA MARRONE  
REF: TM



BLACK  
REF: ZUM



**ROYAL**   
**BOTANIA**  
indulge in finesse