

Kartell

contract



Apartments

Kartell contract

Apartments

Contract Kartell

#Concept
#PreliminaryDrawing
#Engineering
#Moodboard
#ColorScheme
#Implementation
#ScopeOfWork
#InteriorDesign
#Prototype
#ScopeOfWork
#InteriorDesign
#Prototype
#Shopdrawing
#MaterialBoard
#Render
#FF&E
#OS&E
#Custom

#Bespoke
#Millwork
#Mockup
#FireRating
#Contract
#Outdoor
#Sustainability
#Greenguard
#BioBased
#FSC
#ISO14001:2015
#ISO9001:2015
#Certification
#Coordination
#ProjectManagement
#Logistic
#BOQ
#KartellMadeToMeasure

For Kartell, the contract market represents a strategic asset where the company boasts a flexible, creative approach with made-to-measure services that deliver innovative solutions for the development of diversified projects: from small and medium-sized projects to substantial, high-volume contracts in which every single furnishing element can be characterised by a custom-made solution.

Customisation, flexibility and short lead times that satisfy customer requirements all go hand-in-hand with Kartell's industrial manufacturing capacity, which is geared to respond to all types of supplies whilst guaranteeing uncompromising product design and quality.

The products do not follow a trend, but have their own well-defined soul that brings a surprising new nuance to each new project. This game of cross-contamination is especially stimulating for the entire Contract sector, for which Kartell works with specific proposals developed in partnership with leading international architects and designers.

For Kartell, innovating is about finding customised, technologically innovative solutions that can grow in tandem with the creative propositions by top international designers. It is an evolutionary process whereby aesthetics and function grow together, spawning new objects that are not only industrial products, but also creations that offer

an original take on contemporary living. This characteristic represents an added value for the hotel and restaurant sector too, which needs to renew interiors more frequently than others do. Kartell shares its wealth of experience in furnishing large spaces, giving projects a touch of unique personality to offer clients an experience that is always fresh and new.

*Collection products
Products in the Kartell collection combine the typical look of their designer with the benefits of industrial production to satisfy the needs of architects, interior designers, purchasers and end users in all kinds of furnishing project. The Kartell product catalogue is thoroughly transversal in terms of use and function and caters for all design requirements.*

*Modified collection products (if feasible)
An original colour, a special finish, a custom size, a different fabric: collections can change their skin to adapt to specific furnishing projects and solutions without losing their unmistakable Kartell identity.*

*Customised and tailor made
Kartell can even tailor products to meet the requirements of leading international architects and specifiers. Unique and original design solutions can be developed to suit specific needs and add character to original design solutions.*



MASTERS STOOL stool
des. P. Starck



PIUMA chair
des. P. Lissoni

MULTIPLO XL table
des. A. Citterio



FOUR table
des. F. Laviani

AUDREY chair
des. P. Lissoni



LANTERN lamp
des. F. Novembre

MASTERS chair
des. P. Starck

MINI KABUKI lamp
des. F. Laviani

TRAYS bookcase/shelf
des. P. Lissoni



P/WOOD chair
des. P. Starck

Q/WOOD armchair
des. P. Starck

BELLISSIMA suspension lamp
des. F. Laviani

COLONNA/PILASTRO stool
des. E. Sottsass



SMATRIK chair
des. T. Yoshioka

GLOSSY table
des. A. Citterio

TRAMA tableware
des. P. Urquiola



GEEN-A lamp
des. F. Laviani

AL WOOD coffee table
des. P. Starck

PLASTICS TECH sofa
des. P. Lissoni



I-DISH BY D'O plate
des. D. Oldani

PLANET suspension lamp
des. T. Yoshioka

PUMO centrepiece
des. F. Novembre

I-SHINE vase
des. E. Quittlet

TRAMA DRINK glass
des. P. Urquiola

RE-CHAIR chair
des. A. Citterio

FOUR table
des. F. Laviani

ABBRACCIAIO candelabra
des. P. Starck with A. Maggior



FRANÇOIS GHOST mirror
des. P. Starck

AIR DU TEMPS clock
des. E. Quittlet

UNDIQUE table
des. P. Urquiola

RUG carpet
des. P. Urquiola

GHOST BUSTER dresser
des. P. Starck with E. Quittlet

PUMO centrepiece
des. F. Novembre

LUNAM sofa
des. P. Urquiola

PLANET lamp
des. T. Yoshioka

GEEN-A lamp
des. F. Laviani

LANTERN lamp
des. F. Novembre



PUMO centrepiece
des. F. Novembre

JELLIES FAMILY tableware
des. P. Urquiola

PLANET lamp
des. T. Yoshioka

É suspension lamp
des. F. Laviani

MASTERS STOOL stool
des. P. Starck

FOUR table
des. F. Laviani

MASTERS chair
des. P. Starck

I-SHINE vase
des. E. Quittlet

EdenRoc, Cyprus



FRANÇOIS GHOST mirror
des. P. Starck

GHOST BUSTER dresser
des. P. Starck with E. Quillet

PUMO centrepiece
des. F. Novembre

AIR DU TEMPS clock
des. E. Quillet

GEEN-A lamp
des. F. Laviani

LANTERN lamp
des. F. Novembre

LUNAM sofa
des. P. Urquiola

RUG carpet
des. P. Urquiola

PLANET lamp
des. T. Yoshioka

FOUR table
des. F. Laviani

JELLIES FAMILY tableware
des. P. Urquiola

MASTERS chair
des. P. Starck

MASTERS STOOL stool
des. P. Starck

I-SHINE vase
des. E. Quillet

EdenRoc, Cyprus



Q/WOOD armchair
des. P. Starck

EARL OF WOOD desk
des. P. Starck



SMATRIK STOOL stool
des. T. Yoshioka

Broadlands, South Africa

JELLIES FAMILY tableware
des. P. Urquiola



SPOON stool
des. A. Citterio with T. Nguyen

Residence Las Lomas, Guadalajara Mexico



FL/Y lamp
des. F. Laviani

JELLIES FAMILY tableware
des. P. Urquiola

VICTORIA GHOST chair
des. P. Starck

TOPTOP table
des. P. Starck with E. Quitlet



Q/WOOD armchair
des. P. Starck

GLOSSY table
des. P. Starck

BELLISSIMA lamp
des. F. Laviani



BETTY sofa
des. P. Lissoni

BLAST side table
des. P. Starck

PLANET lamp
des. T. Yoshioka

K/WOOD armchair
des. P. Starck

S/WOOD footrest
des. P. Starck



LARGO sofa
des. P. Lissoni

KABUKI lamp
des. F. Laviani

INVISIBLE table
des. T. Yoshioka

COLONNA stool/table
des. E. Sottsass




BETTY sofa
des. P. Lissoni

AL WOOD coffee table
des. P. Starck

PLANET lamp
des. T. Yoshioka


ADAM WOOD bookcase
des. P. Starck

BE BOP armchair
des. L.+R. Palomba




5886

MATERIAL
recycled thermoplastic technopolymer with mineral filler and soft-touch treatment




5887


MATERIAL
Recycled thermoplastic technopolymer with mineral and metallic filler.




discover A.I. Chair




5888




MATERIAL
recycled thermoplastic technopolymer with mineral filler and soft-touch treatment



	level reached
EN 1022:2005	Compliant
EN 16139:2013+AC 2013	Compliant
EN 1728:2012+AC 2013	
4.1	Compliant
4.2	Compliant
6.4	L2
6.5	L2
6.6	L2
6.10	L2
6.11	L2
6.15	L2
6.16	L2
6.17	L2
6.18	L2
6.20	L2
6.24	L2
6.25	L2
6.26	L2




5889	1	7.0	0.32	110X57X51
5888	1	6.5	0.29	100X57X51




	level reached
EN 16139:2013+AC2013	Compliant
EN 1022:2018 7.2	Compliant
EN 1728:2012	
4.1	Compliant
4.2	Compliant
6.2.1	(maximum level) L2
6.4	(maximum level) L2
6.5	(maximum level) L2
6.6	(maximum level) L2
6.8	(maximum level) L2
6.10	(maximum level) L2
6.11	(maximum level) L2
6.15	(maximum level) L2
6.16	(maximum level) L2
6.17	(maximum level) L2
6.18	(maximum level) L2
6.20	(maximum level) L2
6.21	(maximum level) L2
6.24	(maximum level) L2
6.25	(maximum level) L2
6.26	(maximum level) L2




5901
H. 45 cm.



5902
H. 65 cm.




5903
H. 75 cm.



MATERIAL

recycled thermoplastic technopolymer with mineral filler and soft-touch treatment




Made from recycled material



discover A.I. Family

5803



MATERIAL

post-industrial recycled thermoplastic technopolymer obtained from Illy coffee pods



A new major partnership with the Illy Group supplements the unwavering research conducted by Kartell to develop innovative materials and promote sustainable production. For the first time ever, post industrial waste coffee pods are being used to regenerate material, which is ground into a granule-like consistency to give rise to the second raw material, giving the material a new lease on life so it can be injected into a Kartell mould to produce a designer product. The partnership with Illy does not stop with the mere supply of recycled material, but it embraces a new way of managing the circular economy process between two excellences. The quality of a consumer industrial product leads to an industrial project which generates beauty and is in itself based on quality. It took almost two years of work to achieve the quality standard and the necessary mechanics to produce a chair from waste coffee pods. The symbol of this project is a chair, whose name brings to mind the subject of experimentation on recycled material. Re-Chair is the latest creation by Antonio Citterio for Kartell made from recycled material and now the special ambassador of project powered Illy caffè

MATERIAL

recycled thermoplastic technopolymer with mineral filler



Product made of recycled material



discover New Project
Re-Chair powered by illy



Level reached		
H. 45 H. 65/75		
EN 16139:2013+AC2013	Compliant	Compliant
EN 1022:2018 7.2	Compliant	Compliant
EN 1728:2012		
4.1	L2	L2
4.2	L2	L2
6.5	L2	L2
6.8	-	L2
6.15	L2	L2
6.16	L2	L2
6.18	L2	L2
6.21	-	L2
6.24	L2	L2
maximum level=L2		

5901	2	6.8	0.067	52X36X36
5902	2	9.0	0.144	71X58X35
5903	2	9.5	0.168	80X60X35

5803

2	10.0	0.29	65X54X82	

level achieved	
Compliant	
EN 1022:2005	Compliant
EN 16139:2013+AC 2013	Compliant
EN 1728:2012+AC 2013	
6.4	L2
6.5	L2
6.6	L2
6.15	L2
6.16	L2
6.17	L2
6.18	L2
6.24	L2
6.25	L2

NEW!

CATWALK MAT 2018

Design Philippe Starck with Sergio Schito




reddot award
product design 2019

VENICE & VENICE MAT 2018

Design Philippe Starck




G5818



MATERIAL

recycled thermoplastic technopolymer with mineral filler and soft-touch treatment



G5818


2

12.5

0.322

91X56X64

5806



MATERIAL

Mass-dyed or painted polycarbonate with soft touch treatment



5806

2

12.6


0.276

57X57X85



	level achieved
EN 1022:2005	Compliant
EN 16139:2013+AC 2013	Compliant
EN 1728:2012+AC 2013	
6.4	L2
6.5	L2
6.6	L2
6.15	L2
6.16	L2
6.17	L2
6.18	L2
6.24	L2
6.25	L2

	level achieved
EN 1022:2005	Compliant
EN 16139:2013+AC 2013	Compliant
EN 1728:2012+AC 2013	
6.4	L2
6.5	L2
6.6	L2
6.10	L2
6.15	L2
6.16	L2
6.17	L2
6.18	L2
6.20	L2
6.24	L2
6.25	L2
6.26	L2




MATERIAL
recycled thermoplastic technopolymer with mineral filler and soft-touch treatment



5865





5866
4 items packaging



MATERIAL
Recycled thermoplastic technopolymer with mineral and metallic filler



	level reached
EN 16139.2013+AC2013	Compliant
EN 1022 2005	Compliant
EN 1728.2012	
6.4	(maximum level) L2
6.5	(maximum level) L2
6.6	(maximum level) L2
6.10	(maximum level) L2
6.11	(maximum level) L2
6.15	(maximum level) L2
6.16	(maximum level) L2
6.17	(maximum level) L2
6.18	(maximum level) L2
6.20	(maximum level) L2
6.24	(maximum level) L2
6.25	(maximum level) L2
6.26	(maximum level) L2



	level reached
EN 16139.2013+AC2013	Compliant
EN 1022 2005	Compliant
EN 1728.2012	
6.4	(maximum level) L2
6.5	(maximum level) L2
6.6	(maximum level) L2
6.10	(maximum level) L2
6.11	(maximum level) L2
6.15	(maximum level) L2
6.16	(maximum level) L2
6.17	(maximum level) L2
6.18	(maximum level) L2
6.20	(maximum level) L2
6.24	(maximum level) L2
6.25	(maximum level) L2
6.26	(maximum level) L2

MASTERS STOOL 2013

Design Philippe Starck with Eugeni Quitllet




reddot award 2017
best of the best

PIUMA 2016

Design Piero Lissoni




5868



5869

5849
Metallic



MATERIAL

recycled thermoplastic technopolymer with mineral filler and soft-touch treatment


5868/5869



MATERIAL

Recycled thermoplastic technopolymer with mineral and metallic filler.


5849



5868/5869




5802



MATERIAL



Complex thermoplastic polymer with carbon fibre and soft touch treatment




Production video



	level reached
EN 16139:2013+AC2013	Compliant
EN 1022 2005	Compliant
EN 1728:2012	
6.2.1	(maximum level) L2
6.4	(maximum level) L2
6.5	(maximum level) L2
6.6	(maximum level) L2
6.8	(maximum level) L2
6.10	(maximum level) L2
6.11	(maximum level) L2
6.15	(maximum level) L2
6.16	(maximum level) L2
6.17	(maximum level) L2
6.18	(maximum level) L2
6.20	(maximum level) L2
6.24	(maximum level) L2
6.25	(maximum level) L2
6.26	(maximum level) L2




	level reached
EN 1022 2005	Compliant
EN 16139:2013+AC 2013	Compliant
EN 1728:2012+AC 2013	
6.4	L2
6.5	L2
6.6	L2
6.10	L2
6.15	L2
6.16	L2
6.17	L2
6.18	L2
6.20	L2
6.24	L2
6.25	L2
6.26	L2




SEAT
Polycarbonate 2.0 from transparent or mass-dyed renewable raw material

FRAME
Painted or chrome-plated steel and stainless steel in the outdoor version


5834




5836
OUTDOOR



New polycarbonate 2.0, a material that uses a renewable raw material from the pulp and paper industry in the synthesis phase. The process used for the production of the material is ISCC certified* (International Sustainability and Carbon Certification)



5834/5836 2 6.0 0.12 51X48X49
2 5.6 0.12 56X49X44




SEAT
Polycarbonate 2.0 from transparent or mass-dyed renewable raw material

FRAME
Chrome-plated steel

ROCKING CHAIR
Oak-coloured wood finish

5835




New polycarbonate 2.0, a material that uses a renewable raw material from the pulp and paper industry in the synthesis phase. The process used for the production of the material is ISCC certified* (International Sustainability and Carbon Certification)




discover Smatrik



level reached	
EN 16139:2013+AC 2013	Compliant
6.4	L2
6.5	L2
6.6	L2
6.10	L2
6.15	L2
6.16	L2
6.17	L2
6.18	L2
6.20	L2
6.24	L2
6.25	L2
6.26	L2




5835 2 6.0 0.12 51X48X49
2 8.0 0.165 70X48X49




SEAT
Transparent or batch-dyed polycarbonate

FRAME
Painted or chrome-plated steel and stainless steel in the outdoor version

5881




5882
OUTDOOR




discover Smatrik


5814
Generic A




5816
Generic C



MATERIAL
Mass-dyed modified polypropylene



	level reached
EN 16139:2013+AC 2013	Compliant
EN 1728:2012	
6.4	L2
6.5	L2
6.6	L2
6.8	L2
6.15	L2
6.16	L2
6.17	L2
6.18	L2



5814	2	8.75	0.27	55X58X84
5816	2	8.6	0.27	53X58X88


	level reached
EN 1022 2005	Compliant
EN 16139:2013+AC 2013	Compliant
EN 1728:2012+AC 2013	
4.1	Compliant.
4.2	Compliant.
6.4	L2
6.5	L2
6.6	L2
6.10	L2
6.15	L2
6.16	L2
6.17	L2
6.18	L2
6.20	L2
6.24	L2
6.25	L2
6.26	L2

LOUIS GHOST 2002

Design Philippe Starck


VICTORIA GHOST 2005

Design Philippe Starck




MATERIAL
Polycarbonate 2.0 from transparent or mass-dyed renewable raw material

4852




4853 B4
4 items packaging

4854
2 items packaging




5853
4 items packaging

MATERIAL
Transparent polycarbonate




MATERIAL
Polycarbonate 2.0 from transparent or mass-dyed renewable raw material

4857



4856
4 items packaging




5856
4 items packaging


MATERIAL
Transparent polycarbonate





	level achieved
EN 1022:2005	Compliant
EN 16139:2013+AC 2013	Compliant
4.1-4.2	Compliant
EN 1728:2012	
6.4	(maximum level) L2
6.5	(maximum level) L2
6.11	(maximum level) L2
6.18	(maximum level) L2
6.20	(maximum level) L2
6.24	(maximum level) L2
6.25	(maximum level) L2
6.26	(maximum level) L2





	level reached
EN 16139:2013+AC 2013	Compliant
EN 1022 2005	Compliant
4.1-4.2	Compliant
EN 1728:2012	
6.4	(maximum level) L2
6.5	(maximum level) L2
6.6	(maximum level) L2
6.15	(maximum level) L2
6.16	(maximum level) L2
6.17	(maximum level) L2
6.18	(maximum level) L2
6.24	(maximum level) L2
6.25	(maximum level) L2






SEAT
Curved 3D wood
FRAME
Chrome-plated or painted steel





SEAT
Curved 3D wood
FRAME
Chrome-plated or painted steel
SPOKES
Chrome-plated or painted die-cast aluminium



discover
Smart Wood Collection




	level achieved
EN 1022:2005	Compliant
EN 16139:2013+AC 2013	Compliant
EN 1728:2012+AC 2013	
6.4	L2
6.5	L2
6.6	L2
6.17	L2
6.18	L2
6.24	L2
6.25	L2



	level achieved
EN 1022:2005	Compliant
EN 16139:2013+AC 2013	Compliant
EN 1728:2012+AC 2013	
6.4	L2
6.5	L2
6.6	L2
6.17	L2
6.18	L2
6.24	L2
6.25	L2




5928
Q/Wood Soft - h. seat 42.5 cm. - Basic Veneer



SHELL
Curved 3D wood

SEAT
Aquaclean® fabric-upholstered mass-dyed thermoplastic technopolymer

FRAME
Chrome-plated or painted steel




This ecological fabric has a structure designed to simplify cleaning and strength, reducing the risk of accidental tearing sometimes caused by our pets. It is also subject to Safe Front treatment, which prevents the proliferation of bacteria and dust mites.




discover
Smart Wood Collection

4913
h. seat 43.5 cm. - Basic Veneer
4914
h. seat 43.5 cm. - Slatted Ash




5913
h. seat 41.5 cm. - Basic Veneer
5914
h. seat 41.5 cm. - Slatted Ash



SHELL
Curved 3D wood

SEAT
Mass-dyed thermoplastic technopolymer

FRAME
Chrome-plated or painted steel




	level achieved
EN 1022:2005	Compliant
EN 16139:2013+AC 2013	Compliant
EN 1728:2012+AC 2013	
6.4	L2
6.5	L2
6.6	L2
6.10	L2
6.11	L2
6.15	L2
6.16	L2
6.17	L2
6.18	L2
6.20	L2
6.24	L2
6.25	L2
6.26	L2

5928	1	9.6	0.308	58X59X90
------	---	-----	-------	----------

4913/4914	1	9.6	0.308	58X59X90
5913/5914	1	9.6	0.308	58X59X90

	level achieved
EN 1022:2005	Compliant
EN 16139:2013+AC 2013	Compliant
EN 1728:2012+AC 2013	
6.4	L2
6.5	L2
6.6	L2
6.10	L2
6.11	L2
6.15	L2
6.16	L2
6.17	L2
6.18	L2
6.20	L2
6.24	L2
6.25	L2
6.26	L2




SHELL
Curved 3D wood


SEAT
Mass-dyed thermoplastic technopolymer

FRAME
Chrome-plated or painted steel

SPOKES
Chrome-plated or painted die-cast aluminium



discover
Smart Wood Collection




SHELL
Curved 3D wood

SEAT
Aquaclean® fabric-upholstered mass-dyed thermoplastic technopolymer

FRAME
Chrome-plated or painted steel

SPOKES
Chrome-plated or painted die-cast aluminium



This ecological fabric has a structure designed to simplify cleaning and strength, reducing the risk of accidental tearing sometimes caused by our pets. It is also subject to Safe Front treatment, which prevents the proliferation of bacteria and dust mites.



	level achieved
EN 1022:2005	Compliant
EN 16139:2013+AC 2013	Compliant
EN 1728:2012+AC 2013	
6.4	L2
6.5	L2
6.6	L2
6.10	L2
6.11	L2
6.17	L2
6.20	L2
6.24	L2
6.25	L2
6.26	L2



	level achieved
EN 1022:2005	Compliant
EN 16139:2013+AC 2013	Compliant
EN 1728:2012+AC 2013	
6.4	L2
6.5	L2
6.6	L2
6.10	L2
6.11	L2
6.17	L2
6.20	L2
6.24	L2
6.25	L2
6.26	L2

MAUI SOFT NOMA 2013


Tribute to Vico Magistretti

MAUI SOFT TREVIRA 2013


Tribute to Vico Magistretti



2895 Chrome-plated structure
N2895 Black structure
T2895 Customer fabric chrome-plated structure
X2895 Customer fabric black structure




2897
Armchair on casters with gas lift pump



FRAME
Chrome-plated or painted steel

SHELL
Fabric-covered nylon

COVER
New Noma fabric made of 100% recycled polyester




T2895/X2895
 In order to better satisfy the needs of common areas, Maui Soft is also available in a personalised version with fabrics provided by the client, for orders of at least 4 items. Dimensions of customised fabric to cover a single piece: 140x125 cm.


Fire-resistant version
NOMA FABRIC IT UNI 9175, EN1021 fire reaction test, class 1 IM Ministerial approval MI1848D20D1IM00028 UK Standard BS7176



2895 Chrome-plated structure
N2895 Black structure



2897
Armchair on casters with gas lift pump



FRAME
Chrome-plated or painted steel

SHELL
Fabric-covered nylon

COVER
Trevira fabric



Fire-resistant version
TREVIRA FABRIC
IT UNI 9175, EN1021 fire reaction test, class 1 IM ministerial certification MI1848D20D1IM00015 UK Standard BS5852 S5, BS 7176 Medium Hazard - S.I. 1324 US California Standard TB 117



EN 1022:2005	Compliant
EN 15373:2007	Level achieved
Attachment A para. A.2	(maximum level) 3
EN 1728:2000	Level achieved
6.2.1	(maximum level) 3
6.2.2	(maximum level) 3
6.7	(maximum level) 3
6.8	(maximum level) 3
6.12	(maximum level) 3
6.13	(maximum level) 3
6.15	(maximum level) 3
6.16	(maximum level) 3

2895/N/T/X	2	13.8	0.327
2897	1	11.6	0.255
			59X59X94
			57X52X86

EN 1022:2005	Compliant
EN 15373:2007	Level achieved
Attachment A para. A.2	(maximum level) 3
EN 1728:2000	Level achieved
6.2.1	(maximum level) 3
6.2.2	(maximum level) 3
6.7	(maximum level) 3
6.8	(maximum level) 3
6.12	(maximum level) 3
6.13	(maximum level) 3
6.15	(maximum level) 3
6.16	(maximum level) 3

2895/N	2	13.8	0.327
2897	1	11.6	0.255
			59X59X94
			57X52X86

SPOON/SPOON CHAIR 2007


Design Antonio Citterio with Toan Nguyen

BE BOP 2019

Design Ludovica + Roberto Palomba




4828




MATERIAL
batch-dyed polypropylene




4819



MATERIAL
Batch-dyed polypropylene



5826



MATERIAL
Mass-dyed modified polypropylene and soft touch treatment



	4819	level achieved	4828
EN 15373:2007			
5.1	Compliant		
5.2	Compliant		
EN 1728:2000			
6.2.1	(maximum level) 3	(maximum level) 5	
6.2.2	(maximum level) 3	-	
6.4	(maximum level) 5		
6.6	(maximum level) 3	-	
6.7	2	(maximum level) 5	
6.8	(maximum level) 3	-	
6.10	(maximum level) 3	-	
6.15	(maximum level) 3	-	
6.16	(maximum level) 3	-	
6.17	(maximum level) 3	-	


4828	1	11.8	0.267	57X57X82
4819	1	16.4	0.424	69X66X93

5826	1	8.0	0.344	63X72X76
------	---	-----	-------	----------


EN 1022:2005	Compliant
EN 16139:2013	Compliant
EN 1728:2012	Level achieved
6.4	(maximum level) L2
6.5	(maximum level) L2
6.6	(maximum level) L2
6.15	(maximum level) L2
6.16	(maximum level) L2
6.17	(maximum level) L2
6.18	(maximum level) L2
6.24	(maximum level) L2
6.25	(maximum level) L2



4915
Basic Veneer
4916
Slatted Ash




4918
Basic Veneer
4919
Slatted Ash




SEAT
Curved 3D wood
FRAME
Chrome-plated or painted steel


Basic Veneer
[Color swatches: CC Light wood Chrome, SC Dark wood Chrome, SN Dark wood Black]
Slatted Ash
[Color swatches: CC Light wood Chrome, SC Dark wood Chrome, SN Dark wood Black]



4917
Slatted Ash leather seat upholstery




4920
Slatted Ash leather upholstery



SHELL
Curved 3D wood
SEAT
Curved 3D wood with leather seat upholstery
FRAME
Chrome-plated or painted steel

Slatted Ash
[Color swatches: CC Light wood Light leather Chrome, SC Dark wood Dark leather Chrome, SN Dark wood Dark leather Black]



discover
Smart Wood Collection




Table with 3 columns: level achieved, armchair, ottoman. Rows include EN 1022:2005, EN 16139:2013+AC2013, EN 1728:2012+AC2013, and various measurements (6.4 to 6.26).

Technical drawing of boxes for 4915/4916 and 4918/4919 with dimensions and weights.

Table with 3 columns: level achieved, armchair, ottoman. Rows include EN 1022:2005, EN 16139:2013+AC2013, EN 1728:2012+AC2013, and various measurements (6.4 to 6.26).

Technical drawing of boxes for 4917 and 4920 with dimensions and weights.




FRAME
Batch-dyed and painted polycarbonate with soft touch treatment.


SEAT
Padded with fabric-upholstered polyurethane foam

5845

A5845 
Solid



 **Fire tested version**
UK Standard BS5852 S5, S.I. 1324
US - California Standard TB 117




FRAME
Batch-dyed polycarbonate

SEAT
Fabric-covered polyurethane

5842

A5842 
Solid



 **Fire tested version**
UK Standard BS5852 S5, S.I. 1324
US - California Standard TB 117


*Any combination of collection fabrics can be used on request.

In order to better satisfy the needs of common areas, Cara is also available in a personalised version with fabrics provided by the client, for orders of at least 4 items.
 Dimensions of customised fabric to cover a single piece: 140x110 cm.




	level reached
EN 1022:2005	Compliant
EN 16139:2013+AC 2013	Compliant
EN 1728:2012+AC 2013	
6.4	L2
6.5	L2
6.6	L2
6.10	L2
6.11	L2
6.12	L2
6.15	L2
6.16	L2
6.17	L2
6.18	L2
6.20	L2
6.24	L2
6.25	L2
6.26	L2

5845/5846



5842/A5842/5843




	level reached
EN 1022:2005	Compliant
EN 16139:2013+AC 2013	Compliant
EN 1728:2012+AC 2013	
6.4	L2
6.5	L2
6.6	L2
6.10	L2
6.11	L2
6.12	L2
6.15	L2
6.16	L2
6.17	L2
6.18	L2
6.20	L2
6.24	L2
6.25	L2
6.26	L2



6280

A6280  only on request




FRAME

Painted steel

SEAT AND BACK

Fabric-upholstered polyurethane

Chenille



Bouclé



Removable cover




Fire-resistant version

UK Standard BS 5852 S5, S.I. 1324

6281

A6281  only on request



FRAME

Painted steel

SEAT AND BACK

Fabric-upholstered polyurethane

Chenille



Bouclé



Removable cover




Fire-resistant version

UK Standard BS 5852 S5, S.I. 1324



EN 1022:2005	Compliant
EN 1728:2012+AC2013	level reached
6.6	(maximum level) L2
6.10	(maximum level) L2
6.11	(maximum level) L2
6.15	(maximum level) L2
6.16	(maximum level) L2
6.17	(maximum level) L2
6.18	(maximum level) L2
6.20	(maximum level) L2
6.25	(maximum level) L2
6.26	(maximum level) L2




6280
A6280

1
1

31.0
31.0

0.509
0.509

83X83X74
83X83X74



6281
A6281

1
1

77.0
77.0

1.430
1.430


233X84X73
233X84X73

EN 1022:2005	Compliant
EN 1728:2012+AC2013	level reached
6.6	(maximum level) L2
6.10	(maximum level) L2
6.11	(maximum level) L2
6.15	(maximum level) L2
6.16	(maximum level) L2
6.17	(maximum level) L2
6.18	(maximum level) L2
6.20	(maximum level) L2
6.25	(maximum level) L2
6.26	(maximum level) L2




6283

A6283  only on request



6284

A6284  only on request




FRAME

Painted steel

SEAT AND BACK

Fabric-upholstered polyurethane

Chenille




Bouclé



 Fire-resistant version
UK Standard BS 5852 S5, S.I. 1324

6282

A6282  only on request




FRAME

Painted steel

SEAT

Fabric-upholstered polyurethane

Chenille




Bouclé




 Fire-resistant version
UK Standard BS 5852 S5, S.I. 1324



EN 1022:2005	Compliant
EN 1728:2012+AC2013	level reached
6.6	(maximum level) L2
6.10	(maximum level) L2
6.11	(maximum level) L2
6.15	(maximum level) L2
6.16	(maximum level) L2
6.17	(maximum level) L2
6.18	(maximum level) L2
6.20	(maximum level) L2
6.25	(maximum level) L2
6.26	(maximum level) L2



6283/6284 1 56.0 0.620 155X85X73
A6283/A6284 1 56.0 0.620 155X85X73




6282 1 15.9 0.285 47X78X78
A6282 1 15.9 0.285 47X78X78

EN 1022:2005	Compliant
EN 1728:2012+AC2013	level reached
6.4	(maximum level) L2
6.5	(maximum level) L2
6.15	(maximum level) L2
6.16	(maximum level) L2
6.18	(maximum level) L2
6.24	(maximum level) L2




7180
Cushion



MATERIAL

Fabric-upholstered goose feather and down cushions

Chenille




Bouclé



7175
Cushion




7176
Cushion



MATERIAL

Fabric-upholstered goose feather and down cushions

Jacquard



7180

1

1.85

0.039

51X51X15



7175
7176


1
1

1.85
1.3

0.039
0.039

51X51X15
51X51X15





FRAME
Painted steel



SEAT AND BACKREST
Polyurethane with fabric upholstery

6245
Orsetto fabric
A6245




★ version always in stock - other than in the case of unforeseen events beyond Kartell's control

6246
Antibes fabric
A6246



Fire-resistant version
UK Standard BS 5852 S5, S.I. 1324
Antibes fabric
UNI 9175, EN1021 fire reaction test, class 1 IM Ministerial approval pending



FRAME
Painted steel



SEAT AND BACKREST
Polyurethane with fabric upholstery

6247
Orsetto fabric
A6247



★ version always in stock - other than in the case of unforeseen events beyond Kartell's control


6248
Antibes fabric
A6248




Fire-resistant version
UK Standard BS 5852 S5, S.I. 1324
Antibes fabric
UNI 9175, EN1021 fire reaction test, class 1 IM Ministerial approval pending



EN 1022:2005	Compliant
EN 1728:2012+AC2013	Level achieved
6.6	(maximum level) L2
6.10	(maximum level) L2
6.11	(maximum level) L2
6.15	(maximum level) L2
6.16	(maximum level) L2
6.17	(maximum level) L2
6.18	(maximum level) L2
6.20	(maximum level) L2
6.25	(maximum level) L2
6.26	(maximum level) L2




6245/6246 1 33.5 0.627 88X88X81



6247/6248 1 74.0 1.824 206X108X82

EN 1022:2005	Compliant
EN 1728:2012+AC2013	Level achieved
6.6	(maximum level) L2
6.10	(maximum level) L2
6.11	(maximum level) L2
6.15	(maximum level) L2
6.16	(maximum level) L2
6.17	(maximum level) L2
6.18	(maximum level) L2
6.20	(maximum level) L2
6.25	(maximum level) L2
6.26	(maximum level) L2



FRAME
Painted steel



N
Black

SEAT
Polyurethane with fabric upholstery

6249
Orsetto fabric
A6249



★ version always in stock - other than in the case of unforeseen events beyond Kartell's control

6250
Antibes fabric
A6250



Removable cover

Fire-resistant version
UK Standard BS 5852 S5, S.I. 1324
Antibes fabric
UNI 9175, EN1021 fire reaction test, class 1 IM Ministerial approval pending



MATERIAL
Goose down and flock cushions

7177
Orsetto fabric




★ version always in stock - other than in the case of unforeseen events beyond Kartell's control


7178
Antibes fabric



Removable cover



6249/6250 1 14.0 0.182 65X65X43



7177/7178 1 1.3 0.039 51X51X15

PLASTICS DUO 2010

Design Piero Lissoni


7090

A7090




7091

A7091




7092

A7092




7093

A7093




7094

A7094




7095

A7095




7096

A7096




7097

A7097




7098

A7098



7099

A7099



7085



SEAT AND BACKREST

Goose down and flock cushions

COVER

Nilo fabric

70 White

71 Ecu

72 Dove

75 Grey

Gubbio

G1 Ecu

G2 Sand

G3 Dove grey

G4 Dark grey

G5 Pink

G6 Green

Orsetto

O1 White

O2 Green

O3 Brown

O4 Rusty orange

O5 Blue

O6 Grey

Removable cover

Nilo - Fire tested version


IT UNI 9175, EN1021 fire reaction test class 1 IM ministerial certification n. MI1848D20D1IM00010

UK Standard BS5852 S5, BS 7176 Medium Hazard - S.I. 1324


US - California Standard TB 117

Orsetto - Fire tested version

UK Standard BS 5852 S5, S.I. 1324



7090/A7090	1	23.5	0.298	91X36X91
7091/A7091	1	24.5	0.306	91X37X91
7092/A7092	1	26.5	0.621	91X75X91
7093/A7093	1	27.5	0.621	91X75X91
7094/A7094	1	27.5	0.621	91X75X91
7096/A7096	1	27.5	0.621	91X75X91
7095/A7095	1	32.0	0.704	91X65X119
7097/A7097	1	32.0	0.704	91X65X119
7098/A7098	1	32.5	0.704	91X65X119
7099/A7099	1	32.5	0.704	91X65X119




7085	2	3.0	0.070	52X52X26
------	---	-----	-------	----------

EN 1022:1998	level achieved
EN 1728:2000	Compliant
6.2.1	(maximum level) 5
6.2.2	(maximum level) 5
6.6	(maximum level) 5
6.7	(maximum level) 5
6.10	(maximum level) 5
6.15	(maximum level) 5
6.16	(maximum level) 5
6.17	(maximum level) 5


EN 1022:1998	level achieved
EN 1728:2000	Compliant
6.2.1	(maximum level) 5
6.2.2	(maximum level) 5
6.6	(maximum level) 5
6.7	(maximum level) 5
6.10	(maximum level) 5
6.15	(maximum level) 5
6.16	(maximum level) 5
6.17	(maximum level) 5




6091




6093



6095



6097





MATERIAL

Soft polyurethane with fabric upholstery recyclable, ecological, non-toxic



Fire tested version
IT UNI 9175, EN1021 fire reaction test class 1 IM Ministerial MI1848D20D11M00029
UK Standard BS5852 S5 BS7176 Medium Hazard - US - California Standard TB 117



MATERIAL

Fabric-covered expanded polyurethane

6025

Technical fabric



In order to better satisfy the needs of common areas, Trix is also available in a personalised version with fabrics provided by the client.
Dimensions of customised fabric to cover a single piece: 140x340 cm.

	level achieved
EN 1022:1998	Compliant
EN 1728:2000	Compliant
6.2.1	(maximum level) 5
6.2.2	(maximum level) 5
6.6	(maximum level) 5
6.7	(maximum level) 5
6.10	(maximum level) 5
6.15	(maximum level) 5
6.16	(maximum level) 5
6.17	(maximum level) 5


6091	1	24.0	0.305	92X36X92
6093	1	27.4	0.538	92X65X92
6095	1	31.0	0.562	93X65X93
6097	1	31.0	0.562	93X65X93

6025	1	14.6	0.376	103X44X83



EN 1022 2005	Compliant
EN 16139 2013	Compliant
EN 1728:2012	level reached
6.1.5	(maximum level) L2
6.1.6	(maximum level) L2
6.1.7	(maximum level) L2
6.1.8	(maximum level) L2
6.2.5	(maximum level) L2
6.4	(maximum level) L2
6.5	(maximum level) L2
6.24	(maximum level) L2

6086



LEGS

Steel tubes painted with epoxy polyester



SEAT

Fabric-covered polyurethane foam

COVER

Velvet




Trevira™




In order to better satisfy the needs of common areas, Foliage is also available in a personalised version with fabrics provided by the client.
Dimensions of customised fabric to cover a single piece:
armchair: 140x180 cm. sofa: 140x800 cm.

6086



6085



LEGS

Steel tubes painted with epoxy polyester



SEAT


Fabric-covered polyurethane foam

COVER

Velvet




Trevira™



Fire tested version
IT UNI 9175, EN1021 fire reaction test class 1 IM ministerial certification
MI1848D20D1IM00017 - MI1848D20D1IM00016
UK Standard - Cloth cover BS5852 S5, BS 7176 Medium Hazard - S.I. 1324 - CRIB5
UK Standard - Trevira™ cover BS 7176 Medium Hazard - S.I. 1324 - CRIB5
US California Standard TB 117

6085



EN 1022 2005	Compliant
EN 16139 2013	Compliant
EN 1728:2012	level reached
6.1.5	(maximum level) L2
6.1.6	(maximum level) L2
6.1.7	(maximum level) L2
6.1.8	(maximum level) L2
6.2.5	(maximum level) L2
6.4	(maximum level) L2
6.5	(maximum level) L2
6.24	(maximum level) L2

EARL OF WOOD 2020


Design Philippe Starck

LUNAT 2021

Design Patricia Urquiola




4927




FRAME
Chrome-plated or painted steel

TOP
Curved wood




discover
Smart Wood Collection

4945




FRAME
Painted steel

TOP
wood with MDF inner support, clad on both sides with wood veneer and varnished.




	level achieved
EN 1730:2012	Compliant
EN 15372:2016	Compliant
6.2	L3
6.3	L3
6.4	L3
6.6	L3
6.7	Compliant
7.2	Compliant

4927



4945




	level achieved
EN 1730:2012	Compliant
EN 15372:2016	Compliant
5.1	Compliant
5.2	Compliant
6.2	L3
6.3	L3
6.4.2	L3
6.6	L3
7.2	Compliant






4584
Chrome-plated steel frame
4580
Gold-plated steel frame
4578
Black painted steel frame



4572
Chrome-plated steel frame
4579
Gold-plated steel frame
4573
Black painted steel frame




FRAME
Chrome, gold-plated or painted steel

Chrome Gold Black

TOP
Stoneware with marble finish



4560
Polyester lacquered top
Chrome-plated steel frame
4567
Polyester lacquered top
Gold-plated steel frame
4570
Scratch-proof laminated top
Chrome-plated steel frame



FRAME
Chrome-plated steel

Chrome Gold

TOP
MDF polyester lacquered


4560/4567

2P White 3P Black

Scratch-proof laminated
4570

2M Zinc white laminated

4572
Glass top
Chrome-plated steel frame
4579
Glass top
Gold-plated steel frame



FRAME
Chrome-plated steel

Chrome Gold

GLASS TOP
MDF polyester lacquered with glass top

09 Black


*adjustable foot

4578/4580/4584	1 top 1 frame	45.0 8.39	0.146 0.107	135X135X8 80X74X18
4572/4573/4579	1 top 1 frame	67.8 8.39	0.204 0.107	204X125X8 80X74X18


4560/4567	1 top 1 frame	35.9 8.39	0.135 0.107	139X7X139 80X74X18
4570	1 top 1 frame	36.5 8.39	0.135 0.107	139X7X139 80X74X18
4572/4579	1 top 1 frame	60.9 8.39	0.211 0.107	204X8X129 80X74X18



4590
Chrome-plated steel frame
4594
Gold-plated steel frame
4563
Black painted steel frame



4588
Chrome-plated steel frame
4589
Gold-plated steel frame
4565
Black painted steel frame



FRAME
Chrome, gold-plated or painted steel



Chrome Gold Black

TOP
Stoneware with marble finish

4590/4594/4563

MB White MN Black MS Symphonie

*adjustable foot



FRAME
Painted steel

TOP
Stoneware

Stoneware in solid colour

BB White White NN Black Black

CN Aged Bronze Black

*adjustable foot



4590/4594/4563	1 top	50.6	0.125
	1 frame	8.39	0.107
			125X125X8
4565/4588/4589	1 top	41.8	0.125
	1 frame	8.39	0.107
			80X74X18


5578	1 top	45.0	0.146
	1 frame	8.39	0.107
			135X135X8
5573	1 top	67.8	0.204
	1 frame	8.39	0.107
			204X125X8
			80X74X18

MULTIPLO XL 2016


Design Antonio Citterio




4084
INDOOR
Oval stoneware top with marble finish
4085
OUTDOOR
Oval glass top




4123
OUTDOOR
Rectangular stoneware top with marble finish
4124
OUTDOOR
Rectangular glass top



4125
OUTDOOR
Rectangular stoneware top with marble finish
4126
OUTDOOR
Rectangular glass top





4160
INDOOR
Rectangular stoneware top with marble finish



STRUCTURE
Matte painted die-cast aluminium

TOP
Stoneware with marble finish




*On request, Kartell can pair black or white tops with contrasting legs.
To better satisfy customer requirements, marble tops can be customised to request with any variant listed in the catalogue.

	Level reached
EN 1022 2005	Compliant
EN 15372:2008 par. 5	Compliant
EN 1730:2000	
6.2	3
6.3	3
6.4	3
6.5	3
6.6	3
6.8	3



4084/4085



1 top	63.0	0.200	200X125X8
1 leg	19.0	0.589	81X79X92
1 leg	19.0	0.589	81X79X92

4123/4124

1 top	44.0	0.125	165X95X8
1 leg	19.0	0.589	81X79X92
1 leg	19.0	0.589	81X79X92

4125/4126


1 top	68.8	0.141	187X97X10
1 leg	19.0	0.589	81X79X92
1 leg	19.0	0.589	81X79X92

4160


1 top	101.0	0.257	245X107X12
1 leg	19.0	0.589	81X79X92
1 leg	19.0	0.589	81X79X92

LARGE SQUARE BASE


4075
Square stoneware top with marble finish
4076
Square stoneware top in solid colour
4077
Square glass top




4134
Square stoneware top with marble finish
4135
Square glass top




4138
Square stoneware top with marble finish
4139
Square glass top



4081
Rounded stoneware top with marble finish
4082
Rounded stoneware top in solid colour
4083
Rounded glass top




4136
Rounded stoneware top with marble finish
4137
Rounded glass top




SMALL SQUARE BASE


4063
Square stoneware top with marble finish
4064
Square stoneware top in solid colour
4065
Square glass top



4069
Rounded stoneware top with marble finish
4070
Rounded stoneware top in solid colour
4071
Rounded glass top




4140
Square stoneware top with marble finish
4141
Square glass top



STRUCTURE
Matte painted die-cast aluminium


TOP
Stoneware with marble finish




Stoneware in solid colour




Glass



*On request, Kartell can pair black or white tops with contrasting legs.
To better satisfy customer requirements, marble tops can be customised to request with any variant listed in the catalogue.



4075/4076/4077	1 top	39.0	0.090	106X106X8
	1 leg	25.0	0.512	80X80X80
4134/4135	1 top	54.0	0.125	125X125X8
	1 leg	39.0	0.512	80X80X80
4081/4082/4083	1 top	48.0	0.125	125X125X8
	1 leg	25.0	0.512	80X80X80
4136/4137	1 top	60.0	0.157	140X140X8
	1 leg	39.0	0.512	80X80X80
4138/4139	1 top	57.0	0.125	125X125X8
	1 leg	39.0	0.512	80X80X80




4063/4064/4065	1 top	25.0	0.058	85X85X8
	1 leg	22.5	0.512	80X80X80
4069/4070/4071	1 top	22.0	0.058	85X85X8
	1 leg	22.5	0.512	80X80X80
4140/4141	1 top	29.0	0.058	85X85X8
	1 leg	22.5	0.512	80X80X80


EN 1022 2005	level reached
EN 15372:2008 par. 5	Compliant
EN 1730:2000	Compliant
6.2	3
6.3	3
6.4	3
6.5	3
6.6	3
6.8	3

BASE WITH 3 SPOKES

- 4060**
Square stoneware top with marble finish
4061
Square stoneware top in solid colour
4062
Square glass top




- 4066**
Rounded stoneware top with marble finish
4067
Rounded stoneware top in solid colour
4068
Rounded glass top




BASE WITH 4 SPOKES

- 4072**
Square stoneware top with marble finish
4073
Square stoneware top in solid colour
4074
Square glass top



- 4078**
Rounded stoneware top with marble finish
4079
Rounded stoneware top in solid colour
4080
Rounded glass top




STRUCTURE
Matte painted die-cast aluminium


TOP
Stoneware with marble finish



Stoneware in solid colour




Glass



*On request, Kartell can pair black or white tops with contrasting legs.

To better satisfy customer requirements, marble tops can be customised to request with any variant listed in the catalogue.




	level reached
EN 1022 2005	Compliant
EN 15372:2008 par. 5	Compliant
EN 1730:2000	
6.2	3.
6.3	3.
6.4	3.
6.5	3.
6.6	3.
6.8	3.

4060/4061/4062	1 top	25.0	0.058	85X85X8
	1 leg	17.0	0.589	81X79X92
4066/4067/4068	1 top	22.0	0.058	85X85X8
	1 leg	17.0	0.589	81X79X92
4072/4073/4074	1 top	39.0	0.090	106X106X8
	1 leg	19.5	0.512	80X80X80
4078/4079/4080	1 top	48.0	0.125	125X125X8
	1 leg	19.6	0.512	80X80X80


MULTIPLO LOW 2016

Design Antonio Citterio


4150
INDOOR
Oval stoneware top with marble finish
4151
Oval glass top




4156
Rectangular stoneware top with marble finish
4157
Rectangular glass top



4152
Rounded stoneware top with marble finish
4153
Rounded glass top





4154
Square stoneware top with marble finish
4155
Square glass top




STRUCTURE
Matte painted die-cast aluminium

TOP
Stoneware with marble finish



*On request, Kartell can pair black or white tops with contrasting legs.
To better satisfy customer requirements, marble tops can be customised to request with any variant listed in the catalogue.


	level reached
EN 1022 2005	Compliant
EN 15372:2008 par. 5	Compliant
EN 1730:2000	
6.2	3.
6.3	3.
6.4	3.
6.5	3.
6.6	3.
6.8	3.




4150/4151	1 top	63.0	0.200	200X125X8
	1 leg	15.0	0.368	92X80X50
	1 leg	15.0	0.368	92X80X50
4156/4157	1 top	55.0	0.141	185X95X8
	1 leg	15.0	0.368	92X80X50
	1 leg	15.0	0.368	92X80X50
4152/4153	1 top	48.0	0.125	125X125X8
	1 leg	9.0	0.320	80X80X50
4154/4155	1 top	39.0	0.090	106X106X8
	1 leg	12.5	0.368	92X80X50




5522




5523



5524




MATERIAL
Galvanized steel and epoxy polyester coating



NEW


6522

Stoneware with marble finish



6523

Stoneware with marble finish



LEGS
Painted steel

TOP
Stoneware with marble finish



EN 15372:2008	Level attained
Par. 5	Compliant
EN 1730:2000	Level attained
6.2	(maximum level) 3
6.3	(maximum level) 3
6.4	(maximum level) 3
6.6	(maximum level) 3
6.7	(maximum level) 3
6.8	(maximum level) 3

5522	1 top	30.4	0.108	170X7X91
	1 structure	19.4	0.161	79X85X24
5523	1 top	36.0	0.129	201X7X92
	1 structure	19.4	0.161	79X85X24
5524	1 top	41.4	0.150	235X7X91
	1 structure	19.4	0.161	79X85X24

6522	1 top	53.5	0.172	167X86X12
	1 structure	19.4	0.161	79X85X24
6523	1 top	65.0	0.203	197X86X12
	1 structure	19.4	0.161	79X85X24

EN 15372:2008	Level attained
Par. 5	Compliant
EN 1730:2000	Level attained
6.2	(maximum level) 3
6.3	(maximum level) 3
6.4	(maximum level) 3
6.6	(maximum level) 3
6.7	(maximum level) 3
6.8	(maximum level) 3




FOUR 2005
Design Ferruccio Laviani

4522

4502


Soft touch



4523

4503


Soft touch



4524

4509


Soft touch



4525

4510

Soft touch



LEGS

Painted steel


TOP

Scratch-proof laminate or scratch-proof soft touch laminate



4514

Soft touch width: 90 cm




LEGS


Painted steel

TOP


Scratch-resistant soft-touch laminate



EN 15372:2008	Level attained
Par. 5	Compliant
EN 1730:2000	Level attained
6.2	(maximum level) 3
6.3	(maximum level) 3
6.4	(maximum level) 3
6.6	(maximum level) 3
6.7	(maximum level) 3
6.8	(maximum level) 3



4502	1 top	29.8	0.108	170X7X91
	1 structure	19.4	0.161	79X85X24
4503	1 top	37.9	0.129	201X7X92
	1 structure	19.4	0.161	79X85X24
4509	1 top	50.4	0.150	235X7X91
	1 structure	19.4	0.161	79X85X24
4510	1 top	36.6	0.139	141X7X141
	1 structure	24.0	0.251	134X24X78
4522	1 top	30.0	0.108	170X7X91
	1 structure	19.4	0.161	79X85X24
4523	1 top	39.6	0.129	201X7X92
	1 structure	19.4	0.161	79X85X24
4524	1 top	50.5	0.150	235X7X91
	1 structure	19.4	0.161	79X85X24
4525	1 top	34.4	0.139	141X7X141
	1 structure	24.0	0.251	134X24X78



4514	1 top	42.0	0.144	202X7X102
	1 structure	22.0	0.182	80X95X24

INVISIBLE TABLE 2012
Design Tokujin Yoshioka


Good Design Award 2012
reddot design award
best of the best 2013




UNDIQUE 2021
Design Patricia Urquiola



5070



5075




MATERIAL
Transparent or batch-dyed PMMA




5072


Kids




MATERIAL
Transparent PMMA




4165



4166



4167



FRAME
Painted steel

TOP
Stoneware



EN 15372:2008	Level achieved
5.1	Compliant
5.2.2	Compliant
5.2.3	Compliant
EN 1730:2000	Level achieved
6.2	1
6.3	1
6.6	1
6.7	Compliant


5070	1	23.8	1.054	112X84X112
5075	1	20.6	0.539	112X43X112
5072	1	22.6	0.728	112X58X112

4165	1	10.0	0.175	55X55X58
4166	1	23.0	0.370	95X95X41
4167	1	23.0	0.436	130X70X48


		level achieved	
		4166	4167
EN 15372:2016			
Par. 5.1 5.2	Compliant	Compliant	
EN 1730:2012			
6.2	(maximum level) L3	L3	
6.3	(maximum level) L3	L3	
6.4.2	(maximum level) L3	L3	
6.6	(maximum level) L3	L3	
6.9	(maximum level) L3	L3	
7.2	Compliant	Compliant	




4040



4041




4042




4043
x3 KIT h. 40 + h. 45 + h. 50

FRAME
Painted steel

TOP
Back-painted tempered plate glass



4044



FRAME
Painted steel

TOP
Back-painted tempered plate glass



	level achieved
EN 1730:2012	Compliant
EN 15372:2016	Compliant
5.1	Compliant.
5.2	Compliant.
6.2	L3
6.3	L3
6.4.2	L3
6.5	L3
6.6	L3
6.9	L3
7.2	Compliant.

4042	1	13.0	0.152	60X55X46.5
4041	1	13.5	0.162	50X57X57
4040	1	15.5	0.159	60X60X45
4043	1	13.0	0.152	60X55X46.5
	1	13.5	0.162	50X57X57
	1	15.5	0.159	60X60X45

4044	1	37.0	0.512	80X80X80

	level achieved
EN 1730:2012	Compliant
EN 15372:2016	Compliant
5.1	Compliant.
5.2	Compliant.
6.2	L3
6.3	L3
6.4.2	L3
6.5	L3
6.6	L3
6.9	L3
7.2	Compliant.



9550/9554

dimmmable*

kg

6.0

8x

Max 5W

E14

2500°K

CRI 80

20.000 h.

DIMMER

8x

400lm*

MATERIAL
2.0 polycarbonate from renewable transparent feedstock or batch-dyed

GLOSSY

B4

Crystal

E6

Black

2.0

New polycarbonate 2.0, a material that uses a renewable raw material from the pulp and paper industry in the synthesis phase. The process used for the production of the material is ISCC certified* (International Sustainability and Carbon Certification)

9542
Pack of 2 light bulbs E14 5W

9544
Pack of 2 light bulbs E12 5W

JJ17
Pack of 8 light bulbs E14 5W LED included
Cannot be sold separately from 9559/9555/9545

Pack of 8 light bulbs E12 5W LED included
Cannot be sold separately from 9554/9559/9561

*product dimmmable with compatible systems

9555/9559

dimmmable*

kg

6.0

8x

Max 5W

E14

2500°K

CRI 80

20.000 h.

DIMMER

8x

400lm*

MATERIAL
2.0 polycarbonate from renewable painted feedstock

METALLIC

GG

Matt bronze

9545/9561

dimmmable*

kg

6.0

8x

Max 5W

E14

2500°K

CRI 80

20.000 h.

DIMMER

8x


400lm*

MATERIAL
2.0 polycarbonate from renewable metallic feedstock


METALLIC

BL


Polished Champagne




The light source can be replaced with a similar source, respecting the data indicated on the label. We recommend using a light source with a colour temperature of 2500 K.




9550/9554	1	9.00	0.290	63X63X72
9542	2	0.75	0.001	8X8X22




9555/9559	1	9.00	0.290	63X63X72
9560/9561	2	0.75	0.001	8X8X22



The light source can be replaced with a similar source, respecting the data indicated on the label. We recommend using a light source with a colour temperature of 2500 K.



9700/B9700/U9700
Dimmable





MATERIAL
Polyester powder-coated steel




JJ15
Pack of 3 E14 5W LED light bulb included
Cannot be sold separately from 9700/B9700

9425/B9425/U9425




FRAME
Polyester powder-coated steel




DIFFUSER
Transparent batch-dyed PMMA and ABS




JJ16
One G45 E14 5W LED light bulb included
Cannot be sold separately from 9525/B9425



The light source can be replaced with a similar source, respecting the data indicated on the label. We recommend using a light source with a colour temperature of 2700 K.




The light source can be replaced with a similar source, respecting the data indicated on the label. We recommend using a light source with a colour temperature of 2700 K.






9387/B9387/U9387/Z9387
Dimmable



9388/B9388/U9388/Z9388
Dimmable





FRAME
Chrome-plated steel, painted steel

DIFFUSER
Transparent or mass-dyed thermoplastic technopolymer





9390/9391




FRAME
Polished or painted die-cast aluminium


DIFFUSER
Transparent or mass-dyed thermoplastic technopolymer




The light source contained in this
appliance must only be replaced by
qualified personnel using original
spare parts.




9387/B/U/Z	1	12.5	0.22	40X40X138
9388/B/U/Z	1	13.2	0.269	40X40X168




The light source contained in this
appliance must only be replaced by
qualified personnel using original
spare parts.




9390/9391	1	4.2	0.05	39X33X39
-----------	---	-----	------	----------



9386/B9386/U9386/Z9386




9385/B9385/Z9385/U9385
Dimmable ON/OFF




FRAME
Polished or painted die-cast aluminium

DIFFUSER
Transparent or mass-dyed thermoplastic technopolymer



discover Planet Family

9050/B9050/U9050/Z9050




MATERIAL
Polycarbonate 2.0 from transparent or mass-dyed renewable raw material






JJ04
One E14 3.8W LED light bulb included
Cannot be sold separately from 9050/B9050


New polycarbonate 2.0, a material that uses a renewable raw material from the pulp and paper industry in the synthesis phase. The process used for the production of the material is ISCC certified* (International Sustainability and Carbon Certification)



The light source contained in this appliance must only be replaced by qualified personnel using original spare parts.



The light source can be replaced with a similar source, respecting the data indicated on the label. We recommend using a light source with a colour temperature of 2700 K.



9005/B9005/U9005


MATERIAL
Batch-dyed recycled ABS

BI
White

AN
Anthracite

TO
Dove Grey

TE
Terracotta



JJ18
Pack of 1 light bulb E14 8W LED included
Cannot be sold separately from 9005/B9005

9710/B9710/U9710
Dimmable battery version



9720/B9720/U9720
Direct power supply

MATERIAL
Polyester powder-coated steel


O3
White

O9
Black


MA
Brick Red

VE
Green

BR
Bronze



The light source can be replaced with a similar source, respecting the data indicated on the label. We recommend using a light source with a colour temperature of 2700 K.




The light source and/or battery contained in this appliance must only be replaced by qualified personnel using original spare parts.

9005/B/U	1	1.4	0.028
			30X27X35

9710/B/U	1	1.2	0.021
9720/B/U	1	1.2	0.021
			41.5X22X23

BOURGIE 2004
Design Ferruccio Laviani

BOURGIE MAT 2020
Design Ferruccio Laviani



9070/B9070/U9070/Z9070
dimable

MATERIAL
2.0 polycarbonate from renewable transparent feedstock, mass-dyed or metallic

TRANSPARENT



B4
Crystal

GLOSSY



Q8
Black



9076/B9076/U9076/Z9076
dimable



00
White
Gold



New polycarbonate 2.0, a material that uses a renewable raw material from the pulp and paper industry in the synthesis phase. The process used for the production of the material is ISCC certified* (International Sustainability and Carbon Certification)

B9071/U9071 B4
ON/OFF

MATERIAL
Transparent polycarbonate

9072/B9072/U9072/Z9072
dimable

9074/B9074/U9074/Z9074
dimable

MATERIAL
frame: metallized ABS, diffuser: metallized polycarbonate
9072/B9072/U9072/Z9072

METALLIC



RR
Copper



OO
Silver



X1
Multicoloured
titanium



X2
Multicoloured
fuchsia



X3
Multicoloured
light blue



OO
Gold

9074/B9074/
U9074/Z9074



9077/B9077/U9077
dimable

MATERIAL
Polycarbonate 2.0, made from mass dyed, soft-touch renewable raw material

MAT



O3
White



O9
Black




New polycarbonate 2.0, a material that uses a renewable raw material from the pulp and paper industry in the synthesis phase. The process used for the production of the material is ISCC certified* (International Sustainability and Carbon Certification)


JJ01
Three E14 max. 3.4W LED light bulbs included
Cannot be sold separately from 9077/B9077




discover Bourgie




The light source can be replaced with a similar source, respecting the data indicated on the label. We recommend using a light source with a colour temperature of 2700 K.



9070/B/U/Z	1	5.2	0.132	44X70X43
B9071/U				
9072/B/U/Z	1	5.2	0.132	44X70X43
9074/B/U/Z	1	5.2	0.132	44X70X43
9076/B/U/Z	1	5.2	0.132	44X70X43




9077/B/U	1	5.2	0.132	44X70X43
----------	---	-----	-------	----------




The light source can be replaced with a similar source, respecting the data indicated on the label. We recommend using a light source with a colour temperature of 2700 K.





9030/9031

MATERIAL
Batch-dyed recycled PMMA



9038/9039

MATERIAL
Painted PMMA



9035/9036


MATERIAL
Metallic PMMA



JJ14

One E27 max. 12W LED light bulb included
Cannot be sold separately
from 9030/9038/9035

One E26 Max 7.5W LED light bulb included
Cannot be sold separately
from 9031/9039/9036



9053/9054

MATERIAL
Batch-dyed recycled PMMA



9068/9069

MATERIAL
Painted PMMA



9066/9067


MATERIAL
Metallic PMMA




JJ14

One E27 max. 12W LED light bulb included
Cannot be sold separately
from 9053/9068/9066


One E26 Max 7.5W LED light bulb included
Cannot be sold separately
from 9054/9069/9067




The light source can be replaced with a similar source, respecting the data indicated on the label. We recommend using a light source with a colour temperature of 2700 K.



9030/9031	1	3.7	0.124	55X41X55
9038/9039	1	3.7	0.124	55X41X55
9035/9036	1	3.7	0.124	55X41X55




9053/9054	1	2.14	0.058	42X32X43
9068/9069	1	2.14	0.058	42X32X43
9066/9067	1	2.14	0.058	42X32X43



The light source can be replaced with a similar source, respecting the data indicated on the label. We recommend using a light source with a colour temperature of 2700 K.




BIG FL/Y 2002
Design Ferruccio Laviani



MATERIAL
Batch-dyed recycled PMMA

9058/9059




9097/9098

MATERIAL
Painted PMMA



JJ14
One E27 max. 12W LED light bulb included
Cannot be sold separately
from 9058/9097

One E26 Max 7.5W LED light bulb included
Cannot be sold separately
from 9059/9098




MATERIAL
Mass-dyed thermoplastic technopolymer

9450/9451



9455/9456




9460/9461




JJ14
One E27 max. 12W LED light bulb included
Cannot be sold separately
from 9450/9455/9060


One E26 Max 7.5W LED light bulb included
Cannot be sold separately
from 9451/9456/9461




The light source can be replaced with a similar source, respecting the data indicated on the label. We recommend using a light source with a colour temperature of 2700 K.



9058/9059	1	10.45	0.481	86X65X86
9097/9098	1	10.45	0.481	86X65X86



9450/9451	1	4.7	0.13	53X53X43
9455/9456	1	4.7	0.13	53X53X43
9460/9461	1	4.7	0.13	53X53X43




The light source can be replaced with a similar source, respecting the data indicated on the label. We recommend using a light source with a colour temperature of 2700 K.




FLIP 2008

Design Antonio Citterio with Toan Nguyen




STRUCTURE
Chrome steel


TRAYS
PMMA




 Compasso D'Oro 1994




2008



2012




2026



STRUCTURE
Painted steel

CONTAINERS AND SHELVES
Recycled thermoplastic technopolymer from industrial scrap with soft-touch effect




MOBIL MAT 1994

Design Antonio Citterio with Oliver Löw







4410



4412



4414




FRAME
Chrome-plated steel


SHELVES
Batch-dyed PMMA



4416



4418



FRAME
Chrome-plated steel

SHELVES
Batch-dyed PMMA



4410 - 4414	
EN 1730:00	reached level
6.5	(maximum level) 3
6.3	(maximum level) 3


4410	1	6.43	0.042	98X8X54
4412	1	10.25	0.066	92X8X89
4414	1	12.5	0.076	157X9X54

4416	1	14.8	0.109	86X24X53
4418	1	33.2	0.224	174X28X46


4416				reached level
UNI 8606/84				(maximum level) 3
UNI 8600/84				(maximum level) 3




3210




MATERIAL
Transparent or batch-dyed PMMA




3220










MATERIAL
Transparent or batch-dyed PMMA



3210 1 20.2 0.347 80X85X51



3220 1 8.12 0.144 51X69X41



SHELVES
curved wood


SUPPORTS
mass-dyed thermoplastic technopolymer

STRUTS
painted steel

Basic Veneer



Slatted Ash




Strut




discover
Smart Wood Collection



Adam Wood
video tutorial



8914	2 shelves	8.0	0.85	100X50X17
	3 shelves	10.5	0.85	100X50X17
	2 struts	9.0	0.55	212X20X13
8915	2 shelves	8.0	0.85	100X50X17
	2 shelves	8.0	0.85	100X50X17
	3 shelves	10.5	0.85	100X50X17
	3 shelves	10.5	0.85	100X50X17
	1 strut	6.0	0.55	212X20X13
	2 struts	9.0	0.55	212X20X13
8916	2 shelves	8.0	0.85	100X50X17
	3 shelves	10.5	0.85	100X50X17
	3 shelves	10.5	0.85	100X50X17
	3 shelves	10.5	0.85	100X50X17
	2 struts	9.0	0.55	212X20X13
	2 struts	9.0	0.55	212X20X13



8930	2 shelves	8.0	0.85	100X50X17
8931	3 shelves	10.5	0.85	100X50X17
8932	1 strut	6.0	0.55	212X20X13
8933	2 struts	9.0	0.55	212X20X13

	level achieved
EN 16121:2013+AC 2017	
5.2	Compliant.
5.3	Compliant.
5.4	Compliant.
5.5	Compliant.
EN 16122:2012+AC 2015	
6.1.2	Compliant.
6.1.3	Compliant.
6.1.5	Compliant.
10.2	Compliant.


UMBRELLA STAND/WASTE BASKET 1966

Design Gino Colombini/Kartell Technical Office

KARTELL CARPET



7610



4670



MATERIAL

Recycled thermoplastic technopolymer from industrial scrap, with soft-touch effect

MAT



03
White



09
Black




SI
Silver




Product made of recycled material

2354F4

2354F5



2352F3



MATERIAL

Polyamide fiber on polypropylene base, digital printing, serged edge






2354F4



2354F5



2352F3



7610

1

2.5

0.041

26X61X26


4670

1

1.52

0.042

40X26X40



2352F3

1

8.75

0.168

28X214X28



2354F4/F5

1


14

0.168



28X214X28




MATERIAL
Hand-tufted and hand-cut Himalayan wool, vegetable and mineral dyes



Fireproof in compliance with UNI EN 13501-1:2009:
Classification of products and construction elements based on their reaction to fire



MATERIAL
Recycled and recyclable PET




2355F6	1	19.00	0.160	255X25X25
2355F7	1	19.00	0.160	255X25X25


2356	1	18.2	0.092	174X23X23
2357	1	40.0	0.180	247X27X27




1551





MATERIAL
Transparent or mass-dyed and metallized thermoplastic technopolymer




1550



MATERIAL
Transparent or mass-dyed and metallized thermoplastic technopolymer




1551 1 1.31 0.027 35X27.5X28




1550 1 1.25 0.024 28X28X31




1499




1494




1495




1496




1497




1490




1491




1492



1493



1581




MATERIAL
Transparent or mass-dyed thermoplastic technopolymer




1499	4	0.93	0.007	31X8X31
1494	4	1.03	0.005	26X7X26
1495	4	1.92	0.008	31X8X31
1496	4	1.47	0.008	27X11X27
1497	4	2.96	0.008	37X7X37


1490	1	0.92	0.008	14.5X35X15.5
1491	16	4.74	0.027	18.5X15X19
1492	16	3.28	0.024	18.5X14X19
1493	16	3.03	0.021	18.5X12X19
1581	16	3.22	0.008	30X17X37




1582



1583



1580




MATERIALE

Transparent or mass-dyed thermoplastic technopolymer



1498




MATERIAL


Transparent or mass-dyed thermoplastic technopolymer




1582




1583



1580




1498







1517




1516




1515




1518



1519




MATERIAL
Melamine




1517	4	2.2	0.007	22X23.5X13.5
1516	4	2.2	0.007	30.5X28.5X8.5
1515	4	2.8	0.007	35X33X6
1518	4	0.75	0.002	19X17X6.5
1519	4	1.15	0.004	15X16.5X17


1511




1512



1513



1514



MATERIAL
Transparent or mass-dyed thermoplastic technopolymer




1511	1	0.92	0.007	14.5X35X15.5
1512	16	4.74	0.026	18.5X15X19
1513	16	3.28	0.024	18.5X14X19
1514	16	3.03	0.021	18.5X12X19






1215




MATERIAL
Transparent or coloured PMMA mass-dyed




MATERIAL
Galvanised or painted aluminium
1955



1956



1215 1 1.8 0.014 39X25X15



1955 1 1.2 0.012 23X17X31
1956 1 1.2 0.012 23X17X31

PRODUCT INDEX

	A.I.	28
	A.I. STOOL RECYCLED	29
	A.I. STOOL LIGHT	30
	RE-CHAIR	31
	CATWALK MAT	32
	VENICE & VENICE MAT	33
	MASTERS	34
	MASTERS STOOL	36
	PIUMA	37
	SMATRIK	38
	SMATRIK STOOL	40
	GENERIC A/C	41
	LOUIS GHOST	42
	VICTORIA GHOST	43
	P/WOOD	44
	P/WOOD SWIVEL	45
	Q/WOOD	46
	Q/WOOD SWIVEL	48
	MAUI SOFT	50
	SPOON/SPOON CHAIR	52
	BE BOP	53
	K/WOOD, S/WOOD	54
	CARA MAT	56
	CARA	57
	K-WAIT	58
	LUNAM	64
	PLASTICS DUO	68
	PLASTICS TECH FABRIC	70
	TRIX	71
	FOLIAGE	72
	EARL OF WOOD	74
	LUNAT	75
	GLOSSY	76
	MULTIPL0 XL	80
	MULTIPL0	82
	MULTIPL0 LOW	86
	FOUR OUTDOOR	88
	FOUR CERAMIC	89
	FOUR	90
	INVISIBLE TABLE	92
	UNDIQUE	93

	THIERRY	94
	THIERRY BISTROT	95
	KHAN	96
	GEENA	98
	K-LUX	99
	PLANET	100
	TAKE	103
	TEA	104
	MINI GEENA	105
	BOURGIE	106
	BOURGIE MAT	107
	FL/Y	108
	SMALL FL/Y	109
	BIG FL/Y	110
	BELLISSIMA	111
	FLIP	112
	MOBIL MAT	113
	TRAYS	114
	GHOST BUSTER	116
	SMALL GHOST BUSTER	117
	ADAM WOOD	118
	UMBRELLA ST./WASTE BASKET	120
	KARTELL CARPET	121
	RUG	122
	K-LIM	123
	PUMO	124
	TRULL0	125
	JELLIES FAMILY	126
	TRAMA	130
	I SHINE	132
	ABBRACCIAIO	133



Kartell has symbolised design **Made in Italy** all over the world for over 70 years.

Today, Kartell is the perfect synthesis of its past and its ongoing projection into the future, combining the great heritage of **corporate culture** with the desire to explore new paths and engage in new experiences dominated by an intense passion for creation.

Kartell is a **creative laboratory**, fuelled by an ongoing exchange of ideas with designers, which works in the spirit of innovation and industrial production. The use of new materials and unique moulding technologies allows the company to concentrate simultaneously on design solutions that combine creativity and aesthetics with **qualitative excellence**.

This unrelenting work interweaves with Kartell's relationship with the environment, which is part of the brand's history and core value. **"Kartell loves the planet"** is the industrial manifesto with which the company prioritises environmental responsibility and attention to sustainability. Research and **technological development**, characteristic of the company's past and present, allow the company to continue identifying innovative and high-performance materials that combine design and functionality with the intrinsic concept of global sustainability. Kartell works on industrial scale designs while simultaneously developing **tailor-made services** for each area of action, be it the contract system, the retail network or ecommerce.

The creation, production and marketing activities revolve around communication, attention to image, dialogue with the customer and client, using every tool and every language, aimed at the relational experience with the brand.

110
Countries

650
Flag/Shop

9
Compasso d'Oro awards

42
International
Design Awards

SUSTAINABLE GROWTH AND DEVELOPMENT IN VIEW OF THE AGENDA FOR 2030

Kartell is continuing down the road begun by the "Kartell loves the planet" manifesto and drafting a company sustainability policy covering 11 of the 17 Sustainable Development Goals (SDGs) established by the United Nations as a "blueprint to achieve a better and more sustainable future for all".

Kartell has identified the SDGs most relevant to its business in order to bring about a convergence of interests and encourage the involvement of the entire production chain and distribution network. Our aim is to develop products that are designed by the world's top creatives, made from sustainable materials, and produced using the most innovative industrial techniques to reduce our impact on the environment. We are equally committed to offering customers products that are stylish and well made, and that accurately represent the age-old culture of beauty on which the value of Italian manufacturing is based.

We have already made the circular economy central to our environmental sustainability processes. At the same time, we believe it our duty to promote the circularity of beauty based on ethical and aesthetic sustainability. Italy's industrial system is generating a beauty-based economy as part of the country's immense cultural heritage, and Kartell is on the front line in this mission



* In September 2015, the governments of the 193 member states of the General Assembly of the United Nations approved the UN's Sustainable Development Goals (SDGs). These 17 goals form a plan of action for peace and prosperity for people and the planet known as the 2030 Agenda for Sustainable Development.

BEING THE FIRST IN INNOVATION, COMBINING DESIGN AND INDUSTRIAL TECHNOLOGY

FEEDING THE BEAUTY OF THINGS AND RESPECT FOR PEOPLE.

A Kartell product is timeless, produced with the utmost respect for the environment and destined - on completion of its function - to occupy museum spaces and join collectors' assets. A beautiful and well made product, part of a production process that pursues perfection, pays attention to detail and studies every possible evolutionary change.

DOING GOOD AND MAKING PEOPLE FEEL GOOD

Kartell objects are environmentally friendly and hold certifications that confirm their low level of emissions.

CIRCULAR ECONOMY

New design for regenerative economy Kartell takes a better path in our commitment to environmental sustainability, using recycled materials where technology allows.

RESPECT FOR THE ENVIRONMENT AND SUSTAINABILITY.

For seventy years, Kartell has played a leading role in innovative production and product creativity. Respect for the environment is, and always has been a value that goes to the heart of the brand and in a bid to strengthen this commitment the company launched the "Kartell loves the planet" mission, the industrial manifesto with which it focuses on environmental responsibility and attention to good sustainability practices.


In recent seasons, Kartell has supplemented its use of traditional materials with innovative projects that summarize research and innovation of materials and production processes.

TRAINING AND SUPPORT PROJECTS

Thinking of the next generation

The industrial manifesto "Kartell loves the planet" extends our commitment to sustainability to include social support, and in particular to the education of young people in the most needy countries. Kartell supports the Francesca Rava Foundation - N.P.H. Italia and its international programme "Building Sustainability through Education. Empowering the young generation to be leaders of a green revolution" with scholarships to university students in Latin America for projects dedicated to environmental sustainability.

It also signed up to the sixth edition of a competition called "Youth in Action for Sustainable Development Goals (SDGs) - 2022 Edition" sponsored by the Accenture Foundation with the aim of stimulating the creative capacity of young people under 30, to also encourage the implementation of the 2030 Agenda in the business world and in the Third Sector, by contributing with innovative solutions with a high social impact to spread culture and raise awareness of the Sustainable Development Goals. In conjunction with the collaboration with Fondazione Accenture, the winner of the competition was offered an internship in the company.





WOOD

Kartell holds FSC™ certification for its wooden products: FSC is the internationally recognised certification for forest management that has a positive impact on forests, the market and people. The FSC mark on our products ensures that the timber they are made of comes from a supply chain that complies with strict environmental, social and economic requirements dictated by the Forest Stewardship Council®, an international NGO that has been promoting responsible forest management for over 25 years. Being a material of natural origin, there may be differences in the colouring and the characteristic wood grain.



BIO

This unique material is obtained from agricultural waste that cannot be used to produce food for humans or animals. With a biological process, the waste materials once "attacked" by microorganisms generate a biomass that is similar to plastic. After a series of processes to refine the composition, this biomass becomes a material of the highest quality, and Kartell was the first to experiment with this material in injection and moulding like other plastics. The material used for the Bio collection boasts exclusive properties of biodegradability in water and soil, as certified by prestigious international institutes such as Vincotte Belgium and TÜV Austria.



Ask for FSC™ C149322 certified products



circular economy



RECYCLED MATERIAL

A recycled thermoplastic technopolymer obtained from pure waste material that has been set aside and is not contaminated by other materials. The choice is dictated by the possibility to use scrap material that guarantees the aesthetic quality and structural requirements of the product, reducing the emissions necessary for its production. With this material, Kartell intends to go one step further in its commitment to environmental sustainability, using recycled material while eliminating waste from the environment and turning it back into raw material, activating a virtuous process of circular economy.



POLYCARBONATE 2.0

Polycarbonate 2.0 is a material, used exclusively by Kartell, which combines a second generation renewable polymer made from cellulose and paper waste with an ISCC (International Sustainability and Carbon Certification) certified process. ISCC was one of the first schemes for the sustainability of products throughout the supply chain in the renewable energy sector to be issued at European level, and it is now one of the most popular and widely recognised. The benefits of polycarbonate, such as superior shock resistant and flame retardant properties, elasticity, excellent mechanical properties and easy recycling, are retained in version 2.0.



RECYCLED ILLY

As part of the commitment to the use of recycled materials, a new project has been investigated involving the virtuous recovery of the discarded plastic components of illycaffè's Iperespresso capsules, which are transformed into high quality secondary raw materials. By regenerating the ground material and returning it to granule form, then injecting it, Kartell transforms the coffee capsule removed from the production cycle into a sustainable commodity, a design object. 400 Iperespresso capsules are used to make each chair.



CERAMICS

The surfaces of the tables are made of special ceramics processed with low CO2 emissions, using industrial waste and recovering wastewater, resulting in exclusively designed sheets made in Italy. These ceramic materials are made by a partner whose business model focuses not only on profitability but also on responsible operation, obtaining B Corp certification for the highest standards of social and environmental performance.



RE-TEXTILE

Some of the fabrics used for the armchairs, sofas and carpets are made from recycled materials such as PET bottles transformed into polyester or fabrics from regenerated fishing nets.



CERTIFICATION CARB

In order to reduce the emissions from composite wood-based panels incorporated into the products used and intended for indoor living environments, all the items which contain wood-based panels are made using certified materials, conforming to the emission levels envisaged by the CARB (California Air Resource Board) and TSCA Title VI (Toxic Substances Control Act) standards. The tables of the TOP TOP, FOUR, MAUI, MAX, MULTIPLO, GLOSSY, VISCOUNT OF WOOD and LUNAT collections, in the indoor versions, are CARB certified.



CERTIFICATION GREENGUARD

In its continuing commitment to protecting its customers' health, Kartell obtained Greenguard certification in 2014. When purchasing a Greenguard-certified product, consumers can be certain the product has been inspected, does not pollute and is not dangerous. Greenguard is used by many certification processes for environmentally-sustainable buildings (LEED; CHPS; ASHRAE; Green Globes; NAHB; IgCC, CONSIP) around the world. Greenguard certified categories: All Kartell products that have received GREENGUARD certification are featured on the UL SPOT website. <https://spot.ul.com>



RECYCLABILITY

Recyclability, sustainability, eco-compatibility - in two words environmental friendliness - are the issues at the heart of Kartell's product development strategy. As regards recyclability, the eco-friendly focus begins as early as the design and production phase: to simplify recycling, the various components of Kartell products are easy to disassemble and separate into single-materials parts; furthermore, all plastic components are clearly marked to ensure that they can be easily identified and recycled.



PACKAGING

The packaging contains mainly recycled material and is 100% recyclable. Contributing the environmental sustainability means eliminating wastage and the improper disposal of waste materials.

For more information on the recyclability of our products, visit: www.kartell.com

CERTIFICATIONS

ISO 9001:2015



COMPANY QUALITY CERTIFICATION: ISO 9001

In 1996, Kartell decided to certify its Corporate Quality Management System in compliance with UNI EN ISO 9001:1994 standards.

In 2005, the company aligned its Quality Management Systems with the standard UNI EN ISO 9001: 2000.

In 2008, the company renewed its ISO 9001:2000 certification.

And, in 2010, it switched to UNI EN ISO 9001:2008.

During 2017 Kartell updated its certification standard to UNI EN ISO 9001:2015.

A guarantor for this certification process is the I.I.P. (Italian Institute of Plastics), which is itself accredited by SINCERT and CISQ, the Italian federation of accreditation bodies for Quality Management Systems.

CISQ is part of IQNET (International Certification Network), a supranational body which guarantees mutual recognition of the ISO standard in countries worldwide.

The attainment and maintenance of this certification, made possible by the commitment and perseverance of all company offices involved, testifies to the continued research into ever higher levels of quality in company management systems.

A copy of the Quality Certification is available for downloading on www.kartell.com

CERTIFICATIONS

ISO 14001:2015



ISO 14001 CERTIFICATION

In 2011 Kartell achieved UNI EN ISO 14001: 2004 certification for its support of an effective Environmental Management System, an international standard recognised throughout the world and developed about 10 years ago which defines development and implementation parameters in corporate processes in order to achieve an effective environmental management system.

WHAT IS ISO 14001?

This certification attests that the organization certified has implemented a management system capable of controlling environmental impact in its own business and systematically endeavours to improve it in a sustainable, effective and consistent manner. ISO 14001 certification is not obligatory but is the result of the voluntary choice of the Company which decides to define, implement, maintain and improve its own environmental management system.

During 2017 Kartell updated its certification standard to UNI EN ISO 14001:2015.
A copy of the Quality Certification is available for downloading on www.kartell.com



CISQ/IIP S.r.l. has issued an IQNet recognized certificate that the organization

KARTELL SPA

legal place: VIA DELLE INDUSTRIE, 1 - 20082 NOVIGLIO (MI)
VIA DELLE INDUSTRIE, 1 - 20082 NOVIGLIO (MI)

has implemented and maintains a
Quality Management System

for the following scope:

Design and manufacture of furniture and furnishing accessories for residential use and for homes, offices, projects and public uses, including home furniture, office furniture, lighting, table ware and glassware, for home, office or general use among interior projects. Design and production of technical laboratory items.

which fulfills the requirements of the following standard:

ISO 9001:2015

Issued on: 2021/11/03
First issued on: 2005/03/14
Expires on: 2023/08/02

This attestation is directly linked to the IQNet Partner's original certificate and shall not be used as a stand-alone document.

Registration Number: IT-16397 IIP 694

   
Alex Stoichitoiu
President of IQNET
Ing. Mario Romers
President of CISQ

IQNet Partners*:
AENOR Spain AFNOR Certification France APCER Portugal CCC Cyprus CISQ Italy
CQC China CQM China CQS Czech Republic Cst Cert Croatia DQS Holding GmbH Germany EAGLE Certification Group USA
FCV Brazil FONDONORMA Romania ICONTEC Colombia Inmetro Switzerland Oy Finland INTECO Costa Rica
IRAM Argentina JQA Japan KQI Korea MERTEC Greece MSZT Hungary Nemko AS Norway NSAI Ireland
NYCE-SICE Mexico PCBC Poland Quality Austria Austria RQ Russia SII Israel SIQ Slovenia
SIRIM QAS International Malaysia SQS Switzerland SRAC Romania TEST S. Petersburg Russia TSE Turkey YUQS Serbia

* The list of IQNet partners is valid at the time of issue of this certificate. Updated information is available under www.iqnet-certification.com



CERTIFICATO N. **694**
CERTIFICATE N.

Si certifica che il Sistema di Gestione per la Qualità di
We hereby certify that the Quality Management System operated by

KARTELL SPA

sede legale: VIA DELLE INDUSTRIE, 1 — 20082 NOVIGLIO (MI)

UNITA' OPERATIVE / OPERATIVE UNITS

VIA DELLE INDUSTRIE, 1 — 20082 NOVIGLIO (MI)

è conforme alla norma
is in compliance with the standard

UNI EN ISO 9001:2015

per le seguenti attività
for the following activities

IAF14

Progettazione e realizzazione di arredi e complementi d'arredo per uso residenziale e per abitazioni, uffici, progetti e usi pubblici, compresi mobili per la casa, mobili per ufficio, sistemi per illuminazione e per apparecchiature di illuminazione, stoviglie e cristallerie, per casa, ufficio o uso all'interno di progetti. Progettazione e produzione di articoli tecnici da laboratorio. Design and manufacture of furniture and furnishing accessories for residential use and for homes, offices, projects and public uses, including home furniture, office furniture, lighting, table ware and glassware, for home, office or general use among interior projects. Design and production of technical laboratory items.

Prima emissione
First issue
14/03/2005

Emissione corrente
Current issue
03/11/2021

Scadenza
Expiring date
02/08/2023

Amministratore Delegato
Majuro La Ciacca

IIP SRL - via Velleia 2 - 20900 Monza (MB)
www.iip.it info@iip.it



Numero degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC
Signatory of EA, IAF and ILAC Mutual Recognition Agreements



IQNet, the association of the world's first class certification bodies, is the world provider of independent System Certification in the world.
Iqnet is composed of more than 50 bodies and counts over 150 subsidiaries all over the globe.



CISQ/IIP S.r.l. has issued an IQNet recognized certificate that the organization

KARTELL SPA

legal place: VIA DELLE INDUSTRIE, 1 - 20082 NOVIGLIO (MI)
VIA DELLE INDUSTRIE, 1 - 20082 NOVIGLIO (MI)

has implemented and maintains an
Environmental Management System

for the following scope:

Design, production management of furnishing and design accessories through the transformation of plastics, metal and wood materials. Design and production management of technical laboratory items through the transformation of plastic materials.

which fulfills the requirements of the following standard:

ISO 14001:2015

Issued on: 2020/11/09
First issued on: 2012/01/13
Expires on: 2024/01/12

This attestation is directly linked to the IQNet Partner's original certificate and shall not be used as a stand-alone document.

Registration Number: IT-58594 IIP 170

   
Alex Stoichitoiu
President of IQNET
Ing. Mario Romers
President of CISQ

IQNet Partners*:
AENOR Spain AFNOR Certification France APCER Portugal CCC Cyprus CISQ Italy
CQC China CQM China CQS Czech Republic Cst Cert Croatia DQS Holding GmbH Germany EAGLE Certification Group USA
FCV Brazil FONDONORMA Romania ICONTEC Colombia Inmetro Switzerland Oy Finland INTECO Costa Rica
IRAM Argentina JQA Japan KQI Korea MERTEC Greece MSZT Hungary Nemko AS Norway NSAI Ireland
NYCE-SICE Mexico PCBC Poland Quality Austria Austria RQ Russia SII Israel SIQ Slovenia
SIRIM QAS International Malaysia SQS Switzerland SRAC Romania TEST S. Petersburg Russia TSE Turkey YUQS Serbia

* The list of IQNet partners is valid at the time of issue of this certificate. Updated information is available under www.iqnet-certification.com



CERTIFICATO N. **170**
CERTIFICATE N.

Si certifica che il Sistema di Gestione Ambientale di
We hereby certify that the Environmental Management System operated by

KARTELL SPA

sede legale: VIA DELLE INDUSTRIE, 1 — 20082 NOVIGLIO (MI)

UNITA' OPERATIVE / OPERATIVE UNITS

VIA DELLE INDUSTRIE, 1 — 20082 NOVIGLIO (MI)

è conforme alla norma
is in compliance with the standard

UNI EN ISO 14001:2015

per le seguenti attività
for the following activities

IAF14

Design, gestione dell'attività di produzione di accessori e complementi di arredo e di design attraverso la trasformazione delle materie plastiche, del metallo e del legno. Progettazione e gestione delle attività di produzione di articoli tecnici per laboratori attraverso la trasformazione delle materie plastiche.

Design, production management of furnishing and design accessories through the transformation of plastics, metal and wood materials. Design and production management of technical laboratory items through the transformation of plastic materials.

Sistema di gestione ambientale conforme alla Norma UNI EN ISO 14001:2015 valutato secondo le prescrizioni del documento ACCREDIA RT-08

Prima emissione
First issue
13/01/2012

Emissione corrente
Current issue
09/11/2020

Scadenza
Expiring date
12/01/2024

Direttore Generale
Majuro La Ciacca

IIP SRL - via Velleia 2 - 20900 Monza (MB)
www.iip.it info@iip.it



Numero degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC
Signatory of EA, IAF and ILAC Mutual Recognition Agreements




IQNet, the association of the world's first class certification bodies, is the world provider of independent System Certification in the world.
Iqnet is composed of more than 50 bodies and counts over 150 subsidiaries all over the globe.



CISQ è la Federazione Italiana di Organismi di Certificazione del Sistema di Gestione Ambientale.
CISQ is the Italian Federation of Environmental Management System Certification Bodies.

CERTIFICATIONS REFERENCE STANDARDS



UNI LIST
TECHNICAL REFERENCE STANDARDS
Food contact standards

Each page of the price list is dedicated to a product that has been tested in accordance with current regulations which are summarised in a table where the left hand column shows the code and/or paragraph of the test to which the product was subjected and the right hand column shows the test results and the levels attained. The specification of each regulation is show below:

UNI tests for chairs:
Uni Norm N° 8582/84- 1022/98
fatigue test for chair frame
Uni Norm N° 8584/84
fatigue test for chair frame
Uni Norm N° 8585/84
impact test for seats
Uni Norm N° 8586/84
resistance test for repetitive impacts
Uni Norm N° 8587/84
fatigue test for chair back
Uni Norm N° 8589/84
test for arm resistance to vertical force
Uni Norm N° 8590/84
resistance test for horizontal force on arms
Uni Norm N° 9083/87
resistance test to dropping
Uni Norm N° 9088/87
side stress resistance test for chair and stool legs
Uni Norm N° 9089/87
test for back and arm resistance to scratching
Uni Norm N° 8591/84
duration of the rotation of the seat
Standard UNI EN 10977:2002
Furniture for the home and collectivity - Seating

Uni tests for tables:
Uni Norm N° 8592/84
test for stability
Uni Norm N° 8593/84
test for resistance of tops to concentrated loads
Uni Norm N° 8594/84
flexibility test of surfaces
Uni Norm N° 8595/84
structural resistance test
Uni Norm N° 9085/87
drop test
Uni Norm N° 9086/87
impact test on legs
Standard UNI EN 1729-2:2006
Furniture - Chairs and tables for schools
Part 2: Safety requirements and testing methods
Standard UNI ENV 12521:2001
Home furniture - tables - Mechanical and structural safety requirements
UNI EN 527-1:2011
Office furniture - VWork tables and desks
Part 1: Sizes UNI EN 1022:2005
Home furniture - Seating - Determination of stability

UNI EN 15372:2008
Furniture - Resistance, durability and safety Require-
ments for tables not intended for home use
UNI EN 12521:2009
Furniture - Resistance, durability and safety Require-
ments for tables intended for home use

**UNI tests for furniture, containers and
bookshelves:**

Uni Norm N° 8596/84
test for stability
Uni Norm N° 8600/84
bending test with concentrated load
Uni Norm N° 8601/84
bending test for tops
Uni Norm N° 8606/84
test for maximum total load

List of the UNI EN tests for steps:
UNI-EN Norm 131-1/94
functional dimensions of the steps
UNI-EN Norm 131-2/93
flexibility of the feet and of the platform

Standard EN 1728:2000 took effect in 2002 (UNI EN 1728:2002 in Italy) harmonizing at the European level testing methods for resistance and durability of all the types of domestic seating. This regulation, which replaces previous ones, prescribes much more severe testing procedures than in the past.
Standard EN 15373 came into force in late 2007, updating the testing criteria, cycles and levels, with respect to EN 1728:2000.
Standard EN 16139:2013 came into force at the end of 2012, updating standard EN 15373 (see summary table).
In 2013, standard EN 1728 was updated to the EN 1728:2012+AC:2013 edition (in Italy UNI EN 1728:2012+AC:2013).Standard EN 1730:2000 updated with EN 15372:2008 (for Italy UNI EN 1730:2002) came into force in 2000 for the assessment of table performance took effect in 2000 to determine table performance. This standard stipulates the testing methods to determine the resistance, durability and stability of all types of tables. Tests are conducted on an assembled and ready-to-use table. The references to the characteristics tested are expressed with respect to the paragraph in the standard, as follows:

STANDARD UNI EN 15373:2000
paragraphs 5.1 - 5.2
General safety requirements
STANDARD UNI EN 1022/2005
Stability
STANDARD UNI EN 1728/2000
paragraph 6.2.1
static load on the back of the seat
paragraph 6.2.2
static load on the front edge of the seat
paragraph 6.5
static horizontal load on the arms
paragraph 6.6
static vertical load on the arms
paragraph 6.7
fatigue strength of the seat/back
paragraph 6.8
ear and tear on the front part of the seat
paragraph 6.10
fatigue strength of the arms
paragraph 6.12
static load on front legs
paragraph 6.13
static load on side legs
paragraph 6.15
resistance of the seat to blows

paragraph 6.16
resistance of the back to blows
paragraph 6.17
resistance of the arms to blows
paragrafo 6.21
solid footstool
STANDARD UNI EN 1730/2000
paragraph 6.2
static horizontal load
paragraph 6.3
static vertical load
paragraph 6.4
resistance to horizontal fatigue
paragraph 6.5
vertical fatigue strenght
paragraph 6.6
impact on the surface
paragraph 6.7
stability
paragraph 6.8
drop
STANDARD UNI EN 1728/2012
paragraph 6.4 - Static load on seat-back
paragraph 6.5 - Static load on front edge of seat
paragraph 6.6 - Vertical static load on back
paragraph 6.10 - Horizontal static load on arm rests
paragraph 6.11 - Vertical static load on arm rests
paragraph 6.15 - Static load on front legs
paragraph 6.16 - Static load on side legs
paragraph 6.17 - Fatigue strength of seat-back
paragraph 6.18 - Fatigue strength of front edge of seat
paragraph 6.20 - Fatigue strength of arm rests
paragraph 6.21 - Fatigue strength of foot rests
paragraph 6.24 - Seat impact
paragraph 6.25 - Back impact
paragraph 6.26 - Arm rest impact paragrafo
paragraph 6.27 - Drop resistance
paragraph 6.27.1 - Drop resistance for multiple seating

For products intended for contact with food, the following reference standards are used for testing:
Ministerial Decree of 21 March 1973 and subsequent amendments Regulation (CE) No. 1935/2004 for materials and objects intended to come into contact with foodstuffs.
Title 21 cfr. 1077.1460 of the Food and Drug Administration (FDA) – USA
Article 16 of MHLW Food Sanitation Law, Chapter III Specification for Apparatus and Containers and Packaging.
Standard and Specification for Food and Food Additives, etc. (Ministry of Health and Welfare Notification No.370, 1959 & MHLW Notification No. 336, 2010), Section III. Equipment and Containers/ Packages (Japan).

FOR MORE INFORMATION ON PRODUCT CERTIFICATION, PLEASE CONTACT US AT INFO@KARTELL.COM

LIGHTING REGULATIONS CERTIFICATIONS

REFERENCE MARKS
CE – indicates the conformity of the products bearing the acronym with the essential requisites of European Community directives.
ENEC – the European trademark for high quality in electrical products which indicates conformity with current European regulations is recognised as the equivalent of the individual national trademarks in 20 European countries, signatories to the Lum Agreement.
ETL – American and Canadian trademark of quality for electrical products. It certifies product conformity with current American and Canadian regulations.
PSE – Japanese trademark of quality for electrical products. It certifies product conformity with current Japanese regulations.
NOM - Mexican trademark of quality for electrical products. It certifies product conformity with current Mexican regulations.
EK/KC – Korean trademark of quality for electrical products. It certifies product conformity with current Korean regulations.
UKCA – indicates the compliance of the products that bear this mark with the essential requirements of the directives in force in the United Kingdom.
CB Certificate (Australia and New Zealand)
Certification attesting product conformity with international IEC regulations, can be issued with specific national deviations.
CB Certificate – Certification attesting product conformity with international IEC regulations.
CCC – China Compulsory Certificate The brand certifies product compliance with Chinese standards and is mandatory for lighting products imported in China.

ECO-CONTRIBUTION
Introduced in Legislative Decree no. 151 dated 25 July 2005 (updating directives 2002/95/EC, 2002/96/EC and 2003/108/EC), the eco-contribution is an environmental charge used to pay for waste management of electrical and electronic equipment (WEEE). This charge is used to finance all phases of treatment, transport, recovery and disposal of electrical and electronic appliances. Kartell lighting prices include the WEEE.

NOTICE PURSUANT TO ARTICLE 13 OF
LEGISLATIVE DECREE NO. 151 DATED
25 JULY 2005.



Directive 2012/19/UE (waste electrical and electronic equipment: WEEE):
User information: pursuant to article 13 of Legislative Decree no. 151 dated 25 July 2005, no. 151 "Updating of Directives 2002/95/EC, 2002/96/EC and 2003/108/EC, regarding the reduction in the use of dangerous substances in electrical and electronic equipment, and the disposal of waste" this product is conform.

The barred bin symbol on the equipment or their packaging indicates that at the end of its useful life, the product must be disposed of separately from other waste. The user must take the equipment to an authorised recycling centre for electronic and electric waste, or return it to the original vendor when purchasing an equivalent product, on a one-to-one basis. The appropriate collection for environmentally-compatible recycling, treatment and disposal contributes to avoiding possible negative effects on the environment and its health and encourages the reuse and/or recycling of the materials used in the equipment. Improper disposal of the product by the user will result in the application of the administrative sanctions stipulated by regulations in force.



ECODESIGN FOR LIGHTING
In response to current legislation, Kartell is working hard to bring its lighting products as closely as possible into line with the parameters established by the ECODESIGN directive.

The EU Ecodesign Directive establishes a framework under which manufacturers of energy-using products are obliged to reduce the energy consumption and other negative environmental impacts occurring throughout the product life cycle (production, use and disposal).

In particular, the regulation requires that light sources and their power supplies permit access for technical checking and that they be “disassemblable” to permit repair in the event of failure. Light sources must also be “replaceable” to permit upgrading or the installation of more efficient or improved components as these become available in future.



MEANING OF THE LEVEL TESTS, SUGGESTED USE:				
STANDARD 16139:2013 LEVEL	STANDARD 12520:2010 LEVEL	STANDARD 10977:2002 LEVEL	STANDARD 15373:2007 LEVEL	SUGGESTED USE
-	-	1	-	Light domestic use
-	-	2	-	Normal domestic use
-	1	3	1	Heavy domestic use Light collective use
L1	-	4	2	Collective use: public areas, waiting rooms, restaurants, offices
L2	-	5	3	HEAVY COLLECTIVE USE: SCHOOLS, PRISONS, HOSPITALS



Project and Art Direction
Ferruccio Laviani

Graphic Design
Alessandro Pensotti

Printing
Target Color S.r.l.

Copyright Kartell 2023

Kartell

via delle Industrie, 1 • 20082 Noviglio (MI)
t. +39 02 900121 • f. +39 02 90091212
kartell@kartell.it • kartell.com

